#### A compact high pressure washer with 130 bar

- Eliable aluminium pump.
- Trolley for high mobility.
- · Storage of gun, nozzle and foam sprayer.
- Integrated storage for hose and electric cable.
- · Pressure regulation.
- Click&Clean nozzle system ensures quick and easy change of nozzle.
- Automatic start/stop.
- · Sturdy and robust design.
- Noise reduction by rubber suspension of motor pump unit.
- Interactive CD included in the machine packaging.

The C 130.1 is a domestic pressure washer which offers good performance level, a high level of comfort, flexibility and user-friendliness. This is for all types of low to medium frequency cleaning tasks around the house



Picture shown may not represent model quoted

#### Standard equipment

	Included accessories	Ref. no.	Min. required	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ
Hose and Co	nnection					
	HOSE 6M	126481138	1	•	•	•
Nozzle - High	Pressure Washer					
<b>Ø</b>	C&C CAR NOZZLE	6411136	1			
	C&C POWERSPEED	128500298	0	•	•	•
	PR TORNADO TURQUOISE	126481118	1	•	•	•
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	1			
Brush						
	AUTOBRUSH ALONE	6411131	1			





	Included accessories	Ref. no.	Min. required	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ
	ROTARY BRUSH	126411395	1			
Accessory						
9	8M DRAIN&TUBE CLEANER	128500088	0			
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	CLEANING TOOL BLACK	6520844	1	•	•	•
	DRAIN AND TUBE CLEANER ALTO	6410766	1			
	G3 GUN WITH INTERMEDIATE TUBE	126481132	1	•	•	•
	G3 LANCE COMPLETE	126481134	1	•	•	•
	LONG FIXED BRUSH	126411795	1			
7	NILFISK COMPACT PATIO ACC	128500700	0			
	NILFISK PATIO ACCESSORY	128500702	0			
	PATIO CLEANER PLUS ACC	126411376	1			





#### A compact high pressure washer with 130 bar

Standard equipment

	Included accessories	Ref. no.	Min. required	C130.1-6 P X- TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU			
Hose and Co	nnection								
	HOSE 6M	126481138	1	•	•	•			
Nozzle - High	Nozzle - High Pressure Washer								
	C&C CAR NOZZLE	6411136	1			•			
	C&C POWERSPEED	128500298	0	•	•	•			
	PR TORNADO TURQUOISE	126481118	1	•	•	•			
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	1			•			
Brush									
	AUTOBRUSH ALONE	6411131	1			•			
	ROTARY BRUSH	126411395	1						
Accessory									
9	8M DRAIN&TUBE CLEANER	128500088	0						
7	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•			
	CLEANING TOOL BLACK	6520844	1	•	•	•			





#### A compact high pressure washer with 130 bar

	Included accessories	Ref. no.	Min. required	C130.1-6 P X- TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU
O	DRAIN AND TUBE CLEANER ALTO	6410766	1		•	
	G3 GUN WITH INTERMEDIATE TUBE	126481132	1	•	•	•
	G3 LANCE COMPLETE	126481134	1	•	•	•
	LONG FIXED BRUSH	126411795	1		•	
-	NILFISK COMPACT PATIO ACC	128500700	0			
	NILFISK PATIO ACCESSORY	128500702	0	•		
	PATIO CLEANER PLUS ACC	126411376	1		•	

#### Standard equipment

	Included accessories	Ref. no.	Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU			
Hose and Co	Hose and Connection								
	HOSE 6M	126481138	1	•	•	•			
Nozzle - High	Pressure Washer								
	C&C CAR NOZZLE	6411136	1						
	C&C POWERSPEED	128500298	0	•	•	•			





	Included accessories	Ref. no.	Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU
	PR TORNADO TURQUOISE	126481118	1	•	•	•
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	1			
Brush						
	AUTOBRUSH ALONE	6411131	1			
	ROTARY BRUSH	126411395	1			•
Accessory						
9	8M DRAIN&TUBE CLEANER	128500088	0		•	
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	CLEANING TOOL BLACK	6520844	1	•	•	•
	DRAIN AND TUBE CLEANER ALTO	6410766	1		•	
	G3 GUN WITH INTERMEDIATE TUBE	126481132	1	•	•	•
	G3 LANCE COMPLETE	126481134	1	•	•	•
	LONG FIXED BRUSH	126411795	1		•	





	Included accessories		Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU
7	NILFISK COMPACT PATIO ACC	128500700	0			•
•	NILFISK PATIO ACCESSORY	128500702	0		•	
	PATIO CLEANER PLUS ACC	126411376	1			

Model	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ
Ref. no.	128470246	128470251	128470252
PRODUCT FEATURES			
Trolley	•	•	•
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Pressure regulation	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•
Model	C130.1-6 P X-TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU
Ref. no.	128470253	128470254	128470255
PRODUCT FEATURES			
Trolley	•	•	•
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Pressure regulation	•	•	•
Gun with quick connection and swivel	•	•	•
Automatic start/stop	•	•	•





Ref. no.         128470256         128470307         128470454           PRODUCT FEATURES         •	Model	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X- TRA EU
Trolley         •         •         •           Aluminium pump         •         •         •           Lance and spray gun storage         •         •         •           Storage of accessories         •         •         •           Cable storage         •         •         •           Click&Clean (C&C) nozzle concept         •         •         •           Pressure regulation         •         •         •           Gun with quick connection and swivel         •         •         •           Automatic start/stop         •         •         •           Persoure regulations         C130.1-6 XTRA CN         C130.1-6 XTRA CN         C130.1-6 XTRA CN           Pump pressure (bar/MPa)         Max 130/13         Max 130/13         Max 130/13           Voltage (V)         230         230         230           Rated power (kW)         1,7         1,7         1,7           Pump pressure (bar/MPa)         440/380         440/380         440/380           Cable length (m)         6         6         6           Max inlet temperature (*C')         40         40         40           Dimensions LxWxH (mm)         305x295x855         305x295x855	Ref. no.	128470256	128470307	128470454
Aluminium pump         .	PRODUCT FEATURES			
Lance and spray gun storage         •         •         •           Storage of accessories         •         •         •           Cable storage         •         •         •           Click& Clean (C&C) nozzle concept         •         •         •           Pressure regulation         •         •         •           Gun with quick connection and swivel         •         •         •           Automatic start/stop         •         •         •         •           Technical specifications         C130.1-6 XTRA CN         C130.1-6 XTRA EU         C140.1-6 XTR	Trolley	•	•	•
Storage of accessories         •         •         •           Cable storage         •         •         •           Click&Clean (C&C) nozzle concept         •         •         •           Pressure regulation         •         •         •           Gun with quick connection and swivel         •         •         •           Automatic start/stop         •         •         •         •           Technical specifications         C130.1-6 XTRA CN         C130.1-6 XTRA EU         C30.1-6 XTRA EU         C40.300         C40	Aluminium pump	•	•	•
Cable storage         •         <	Lance and spray gun storage	•	•	•
Click&Clean (C&C) nozzle concept         •         <	Storage of accessories	•	•	•
Pressure regulation         •         •         •           Gun with quick connection and swivel         •         •         •           Automatic start/stop         •         •         •           Technical specifications         C130.1-6 XTRA CN         C130.1-6 XTRA EU         C130.1-6 XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Gmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (*C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 PX TRA         C130.1-6 PAD         XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13	Cable storage	•	•	•
Gun with quick connection and swive!         •         •         •           Automatic start/stop         •         •         •           Technical specifications         C130.1-6 XTRA CN         C130.1-6 XTRA EU         C13	Click&Clean (C&C) nozzle concept	•	•	•
Automatic start/stop         •         •         •         •           Technical specifications         C130.1-6 XTRA CN         C130.1-6 XTRA EU         Max. 130/13         Max.	Pressure regulation	•	•	•
Technical specifications         C130.1-6 XTRA CN         C130.1-6 XTRA EU         C130.13         Max. 130/13	Gun with quick connection and swivel	•	•	•
Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWXH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 PAD XTRA EU XTRA E	Automatic start/stop	•	•	•
Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6         6           Max inlet temperature (*C)         40         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 PX-TRA EU         C130.1-6 PAD XTRA EU         XTRA EU         XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230         230           Rated power (kW)         1.7         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable le	Technical specifications	C130.1-6 XTRA CN	C130.1-6 XTRA EU	
Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 P X-TRA         C130.1-6 P AD XTRA EU         C130.1-6 CAR XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimension	Pump pressure (bar/MPa)	Max. 130/13	Max. 130/13	Max. 130/13
Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 P X-TRA         C130.1-6 PAD XTRA EU         XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Unimensions LxWxH (mm)	Voltage (V)	230	230	230
Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 PX-TRA EU XTRA EU XTRA EU XTRA EU         XTRA EU         XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Rated power (kW)	1.7	1.7	1.7
Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 PX-TRA         C130.1-6 PAD XTRA EU         XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (l/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Power consumption (A)	7.4	7.4	7.4
Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 P X-TRA EU         C130.1-6 PAD XTRA EU         XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Water flow Qmax/Qiec (I/h)	440/380	440/380	440/380
Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 PX-TRA EU XTRA	Cable length (m)	5	5	5
Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885           Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 P X-TRA EU XTRA EU XTRA EU XTRA EU XTRA EU         C130.1-6 P X-TRA EU XTRA EU         C130.1-6 P X-TRA EU XTRA EU         XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Hose length (m)	6	6	6
Weight (kg)         15.8         15.8         15.8           Technical specifications         C130.1-6 PX-TRA EU         C130.1-6 PAD XTRA EU         C130.1-6 CAR XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Max inlet temperature (°C)	40	40	40
Technical specifications         C130.1-6 P X-TRA EU XTRA EU XTRA EU XTRA EU         C130.1-6 CAR XTRA EU           Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Dimensions LxWxH (mm)	305x295x885	305x295x885	305x295x885
Pump pressure (bar/MPa)         Max. 130/13         Max. 130/13         Max. 130/13           Voltage (V)         230         230         230           Rated power (kW)         1.7         1.7         1.7           Power consumption (A)         7.4         7.4         7.4           Water flow Qmax/Qiec (I/h)         440/380         440/380         440/380           Cable length (m)         5         5         5           Hose length (m)         6         6         6           Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Weight (kg)	15.8	15.8	15.8
Voltage (V)       230       230       230         Rated power (kW)       1.7       1.7       1.7         Power consumption (A)       7.4       7.4       7.4         Water flow Qmax/Qiec (I/h)       440/380       440/380       440/380         Cable length (m)       5       5       5         Hose length (m)       6       6       6         Max inlet temperature (°C)       40       40       40         Dimensions LxWxH (mm)       305x295x885       305x295x885       305x295x885	Technical specifications			
Rated power (kW)       1.7       1.7       1.7         Power consumption (A)       7.4       7.4       7.4         Water flow Qmax/Qiec (I/h)       440/380       440/380       440/380         Cable length (m)       5       5       5         Hose length (m)       6       6       6         Max inlet temperature (°C)       40       40       40         Dimensions LxWxH (mm)       305x295x885       305x295x885       305x295x885	Pump pressure (bar/MPa)	Max. 130/13	Max. 130/13	Max. 130/13
Power consumption (A)       7.4       7.4       7.4         Water flow Qmax/Qiec (I/h)       440/380       440/380       440/380         Cable length (m)       5       5       5         Hose length (m)       6       6       6         Max inlet temperature (°C)       40       40       40         Dimensions LxWxH (mm)       305x295x885       305x295x885       305x295x885	Voltage (V)	230	230	230
Water flow Qmax/Qiec (I/h)       440/380       440/380       440/380         Cable length (m)       5       5       5         Hose length (m)       6       6       6         Max inlet temperature (°C)       40       40       40         Dimensions LxWxH (mm)       305x295x885       305x295x885       305x295x885	Rated power (kW)	1.7	1.7	1.7
Cable length (m)       5       5       5         Hose length (m)       6       6       6         Max inlet temperature (°C)       40       40       40         Dimensions LxWxH (mm)       305x295x885       305x295x885       305x295x885	Power consumption (A)	7.4	7.4	7.4
Hose length (m)       6       6       6         Max inlet temperature (°C)       40       40       40         Dimensions LxWxH (mm)       305x295x885       305x295x885       305x295x885	Water flow Qmax/Qiec (I/h)	440/380	440/380	440/380
Max inlet temperature (°C)         40         40         40           Dimensions LxWxH (mm)         305x295x885         305x295x885         305x295x885	Cable length (m)	5	5	5
Dimensions LxWxH (mm) 305x295x885 305x295x885 305x295x885	Hose length (m)	6	6	6
	Max inlet temperature (°C)	40	40	40
Weight (kg) 15.8 15.8 15.8	Dimensions LxWxH (mm)	305x295x885	305x295x885	305x295x885
	Weight (kg)	15.8	15.8	15.8





#### A compact high pressure washer with 130 bar

Technical specifications	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X- TRA EU
Pump pressure (bar/MPa)	Max. 130/13	Max. 130/13	Max. 130/13
Voltage (V)	230	230	230
Rated power (kW)	1.7	1.7	1.7
Power consumption (A)	7.4	7.4	7.4
Water flow Qmax/Qiec (I/h)	440/380	440/380	440/380
Cable length (m)	5	5	5
Hose length (m)	6	6	6
Max inlet temperature (°C)	40	40	40
Dimensions LxWxH (mm)	305x295x885	305x295x885	305x295x885
Weight (kg)	15.8	15.8	15.8

ullet Standard equipment, ullet Supplementary accessories, ullet Mountable equipment

	Accessories	Ref. no.	Min. required	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ		
Detergent								
	ALTO 4X2.5L STONE AND WOOD CLEANER	308000098	1	0	0	0		
	ALTO CARCOMBICLEANER 4 X 2,5 L	308000095	1	0	0	0		
	ALTO METAL CLEANER 4 X 2.	308000096	1	0	0	0		
noos .	ALUM. CLEANER 0.5 L	5300488	1	0	0	0		
	CAR COMBI CLEANER 2.5 L	5300406	1	0	٥	0		
	METAL CLEANER 2.5 L	5300404	1	0	٥	0		
DOWB	OIL AND GREASE CLEANER 0.5	5300489	1	0	0	0		





	Accessories	Ref. no.	Min. required	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ
	PLASTIC CLEANER 1 X 2.5 L	5300402	1	0	0	0
	PLASTIC CLEANER 4 X 2.5 L	308000097	1	0	0	0
	ROOF CLEANER DETERGENT 5 L	128470041	1	0	0	0
	STONE AND WOODCLEANER 2.5 L	5300400	1	0	0	0
	WOOD CLEANER 2.5 L	5300377	1	0	0	0
Brush						
	AUTOBRUSH ALONE	6411131	1	0	0	0
	GARDEN BRUSH	106411325	1	0	0	0
photo coming soon	REPL. BRUSH FOR GARDEN BRUSH	106411327	1	0	0	0
	RIM BRUSH	106411326	1	0	٥	0
3	ROTARY BRUSH	6410762	1	0	٥	0
	ROTARY BRUSH	126411395	1	0	٥	0
	WASHING BRUSH	6410765	1	0	0	0





	Accessories	Ref. no.	Min. required	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ
Accessory						
9	8M DRAIN&TUBE CLEANER	128500088	0			
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	CLEANING TOOL BLACK	6520844	1	•	•	•
	COMPACT PATIO ACC	126411158	0	0	٥	0
	DRAIN AND TUBE CLEANER ALTO	6410766	1	0	٥	0
	G3 GUN WITH INTERMEDIATE TUBE	126481132	1	•	•	•
***************************************	G3 LANCE COMPLETE	126481134	1	•	•	•
	LONG FIXED BRUSH	126411795	1	0	0	0
	MULTI ANGLE ADAPTER	6411138	1	0	0	0
7	NILFISK COMPACT PATIO ACC	128500700	0			
	NILFISK PATIO ACCESSORY	128500702	0			
	PATIO CLEANER PLUS ACC	126411376	1	0	0	0





	Accessories	Ref. no.	Min. required	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ
Ž.	ROOF CLEANER	128470040	1	0	0	0
	UNDERCHASSIS SPRAY LANCE	6410763	1	0	0	0
9	VSB SET - GREEN	6410891	1	0	0	0
	WALL HOOK	106411386	1	0	0	0
9	WATER SUCTION KIT	126411387	1	0	0	0
	WATER SUCTION SET	106411232	1	0	0	0
Accessory Kit						
	AUTO KIT	6411134	1	0	0	0
	CAR C&C KIT WITH BOX	128500086	1	0	0	0
Nozzle - High	Pressure Washer		1			
<b>#</b>	C&C CAR NOZZLE	6411136	1	0	0	0
	C&C POWERSPEED	128500298	0	•	•	•
	PR TORNADO TURQUOISE	126481118	1	•	•	•





	Accessories	Ref. no.	Min. required	C130.1-6 XTRA CN	C130.1-6 XTRA EU	C130.1-6 XTRA AUS-NZ
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	1	0	0	0
Hose and Connection						
	HOSE 6M	126481138	1	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	1	0	0	0

ullet Standard equipment, ullet Supplementary accessories, ullet Mountable equipment

	Accessories  Accessories	Ref. no.	Min. required	C130.1-6 P X- TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU
Detergent			'	1		
	ALTO 4X2.5L STONE AND WOOD CLEANER	308000098	1	0	0	0
	ALTO CARCOMBICLEANER 4 X 2,5 L	308000095	1	0	0	0
	ALTO METAL CLEANER 4 X 2.	308000096	1	0	0	0
BOOK	ALUM. CLEANER 0.5 L	5300488	1	0	0	0
	CAR COMBI CLEANER 2.5 L	5300406	1	0	0	0
	METAL CLEANER 2.5 L	5300404	1	0	0	0
Comma	OIL AND GREASE CLEANER 0.5	5300489	1	0	0	0





	Accessories	Ref. no.	Min. required	C130.1-6 P X- TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU	
	PLASTIC CLEANER 1 X 2.5 L	5300402	1	0	0	0	
	PLASTIC CLEANER 4 X 2.5 L	308000097	1	0	0	0	
	ROOF CLEANER DETERGENT 5 L	128470041	1	0	0	0	
	STONE AND WOODCLEANER 2.5 L	5300400	1	0	0	0	
	WOOD CLEANER 2.5 L	5300377	1	0	0	0	
Brush							
	AUTOBRUSH ALONE	6411131	1	0	0	•	
	GARDEN BRUSH	106411325	1	0	0	0	
photo coming soon	REPL. BRUSH FOR GARDEN BRUSH	106411327	1	0	0	0	
	RIM BRUSH	106411326	1	0	0	0	
3	ROTARY BRUSH	6410762	1	0	0	0	
	ROTARY BRUSH	126411395	1	0	0	0	
The state of the s	WASHING BRUSH	6410765	1	0	0	0	





	Accessories	Ref. no.	Min. required	C130.1-6 P X- TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU
Accessory						
9	8M DRAIN&TUBE CLEANER	128500088	0			
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	CLEANING TOOL BLACK	6520844	1	•	•	•
	COMPACT PATIO ACC	126411158	0	0	0	0
	DRAIN AND TUBE CLEANER ALTO	6410766	1	0	•	0
	G3 GUN WITH INTERMEDIATE TUBE	126481132	1	•	•	•
	G3 LANCE COMPLETE	126481134	1	•	•	•
	LONG FIXED BRUSH	126411795	1	0	•	0
	MULTI ANGLE ADAPTER	6411138	1	0	0	0
7	NILFISK COMPACT PATIO ACC	128500700	0			
	NILFISK PATIO ACCESSORY	128500702	0	•		
	PATIO CLEANER PLUS ACC	126411376	1	0	•	0





	Accessories	Ref. no.	Min. required	C130.1-6 P X- TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU
ă I	ROOF CLEANER	128470040	1	0	0	0
	UNDERCHASSIS SPRAY LANCE	6410763	1	0	0	0
<b>Ø</b>	VSB SET - GREEN	6410891	1	0	0	0
	WALL HOOK	106411386	1	0	0	0
6	WATER SUCTION KIT	126411387	1	0	0	0
	WATER SUCTION SET	106411232	1	0	0	0
Accessory Kit						
	AUTO KIT	6411134	1	0	0	0
	CAR C&C KIT WITH BOX	128500086	1	0	0	0
Nozzle - High	Pressure Washer					
<b>#</b>	C&C CAR NOZZLE	6411136	1	0	0	•
	C&C POWERSPEED	128500298	0	•	•	•
	PR TORNADO TURQUOISE	126481118	1	•	•	•





## A compact high pressure washer with 130 bar

	Accessories	Ref. no.	Min. required	C130.1-6 P X- TRA EU	C130.1-6 PAD XTRA EU	C130.1-6 CAR XTRA EU
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	1	0	0	•
Hose and Connection						
	HOSE 6M	126481138	1	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	1	0	0	0

Standard equipment, ○ Supplementary accessories, □ Mountable equipment

■ Standard equipment, O Supplementary accessories,   Mountable equipment  Mountable equipment								
	Accessories	Ref. no.	Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU		
Detergent								
2	ALTO 4X2.5L STONE AND WOOD CLEANER	308000098	1	0	0	0		
	ALTO CARCOMBICLEANER 4 X 2,5 L	308000095	1	0	0	0		
	ALTO METAL CLEANER 4 X 2.	308000096	1	0	٥	0		
Boost	ALUM. CLEANER 0.5 L	5300488	1	0	0	0		
	CAR COMBI CLEANER 2.5 L	5300406	1	0	٥	0		
	METAL CLEANER 2.5 L	5300404	1	0	٥	0		
0000	OIL AND GREASE CLEANER 0.5	5300489	1	0	0	0		





	Accessories	Ref. no.	Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU		
	PLASTIC CLEANER 1 X 2.5 L	5300402	1	0	0	0		
	PLASTIC CLEANER 4 X 2.5 L	308000097	1	0	0	0		
	ROOF CLEANER DETERGENT 5 L	128470041	1	0	0	0		
	STONE AND WOODCLEANER 2.5 L	5300400	1	0	0	0		
	WOOD CLEANER 2.5 L	5300377	1	0	0	0		
Brush								
***************************************	AUTOBRUSH ALONE	6411131	1	0	0	0		
	GARDEN BRUSH	106411325	1	0	0	0		
photo coming soon	REPL. BRUSH FOR GARDEN BRUSH	106411327	1	0				
	RIM BRUSH	106411326	1	0	0	0		
3	ROTARY BRUSH	6410762	1	0	0	0		
	ROTARY BRUSH	126411395	1	0	0	•		
The state of the s	WASHING BRUSH	6410765	1	0	0	0		





	Accessories	Ref. no.	Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU
Accessory						
9	8M DRAIN&TUBE CLEANER	128500088	0		•	
	C&C FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	CLEANING TOOL BLACK	6520844	1	•	•	•
	COMPACT PATIO ACC	126411158	0	0	0	
	DRAIN AND TUBE CLEANER ALTO	6410766	1	0	•	0
	G3 GUN WITH INTERMEDIATE TUBE	126481132	1	•	•	•
	G3 LANCE COMPLETE	126481134	1	•	•	•
	LONG FIXED BRUSH	126411795	1	0	•	0
	MULTI ANGLE ADAPTER	6411138	1	0	0	0
7	NILFISK COMPACT PATIO ACC	128500700	0			•
	NILFISK PATIO ACCESSORY	128500702	0		•	0
	PATIO CLEANER PLUS ACC	126411376	1	0	0	0





	Accessories	Ref. no.	Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU
ă III.	ROOF CLEANER	128470040	1	0	0	0
	UNDERCHASSIS SPRAY LANCE	6410763	1	0	0	0
Ø	VSB SET - GREEN	6410891	1	0	0	0
	WALL HOOK	106411386	1	0	0	0
-6	WATER SUCTION KIT	126411387	1	0	0	0
	WATER SUCTION SET	106411232	1	0	0	0
Accessory Kit						
	AUTO KIT	6411134	1	0	0	0
	CAR C&C KIT WITH BOX	128500086	1	0	0	0
Nozzle - High	Pressure Washer					
<b>Ø</b>	C&C CAR NOZZLE	6411136	1	0	0	0
	C&C POWERSPEED	128500298	0	•	•	•
	PR TORNADO TURQUOISE	126481118	1	•	•	•





Accessories		Ref. no.	Min. required	C130.1-6 XTRA UK	C 130.1 PAD X-TRA EU	C 130.1-6 PCA X-TRA EU
9	UNDER CARRIAGE SPRAY NOZZLE	6411135	1	0	0	0
Hose and Connection						
	HOSE 6M	126481138	1	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	1	0		



