

The future of wet and dry vacuum cleaning

VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter. Go to the specific factsheet for further information.

- The dual filtration system allows the machine to clean both wet and dry applications without the need to change filter
- Multi fit hose connector, stainless steel tube, accessory storage and nozzle parking
- Easy changing of filters with a hinged motor head to protect the machine and speed up the process



The VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time, has features making daily cleaning tasks easier, faster and safer.

Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Hose Vacuum Cleaner					
HOSE D32 1.9M CPL	107407308	1	•	•	•
Vac Nozzle Wet					
FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	•	•	•
Hard Floor Nozzle					
FLOOR NOZZLE D32 BRUSH	107407311	1	•	•	•
Round Brush Nozzle					
BRUSH NOZZLE D32	107407312	1	•	•	•
Crevice Nozzle					
CREVICE NOZZLE D32	107407334	1	•	•	•
Filter					
CARTRIDGE FILTER	107407297	1		•	•
SACK FILTER	107407296	1	•		
Wet Filter					
WET FILTER	107407299	1		•	•
Tube					
EXTENSION TUBE D32 - SS	107407309	1	•	•	•



The future of wet and dry vacuum cleaning

● Standard equipment

Included accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US	VL500 35 BDF 230V/50 ZA
Hose Vacuum Cleaner					
HOSE D32 1.9M CPL	107407308	1	•	•	•
Vac Nozzle Wet					
FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	•	•	•
Hard Floor Nozzle					
FLOOR NOZZLE D32 BRUSH	107407311	1	•	•	•
Round Brush Nozzle					
BRUSH NOZZLE D32	107407312	1	•	•	•
Crevice Nozzle					
CREVICE NOZZLE D32	107407334	1	•	•	•
Filter					
CARTRIDGE FILTER	107407297	1			•
SACK FILTER	107407296	1	•	•	
Wet Filter					
WET FILTER	107407299	1			•
Tube					
EXTENSION TUBE D32 - SS	107407309	1	•	•	•

● Standard equipment

Included accessories	Ref. no.	Min. required	VL500 35 BDF 230V/50HZ CN	VL500 35 BDF 100V 50-60HZ JP
Hose Vacuum Cleaner				
HOSE D32 1.9M CPL	107407308	1	•	•
Vac Nozzle Wet				
FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	•	•
Hard Floor Nozzle				
FLOOR NOZZLE D32 BRUSH	107407311	1	•	•
Round Brush Nozzle				
BRUSH NOZZLE D32	107407312	1	•	•
Crevice Nozzle				
CREVICE NOZZLE D32	107407334	1	•	•
Filter				
CARTRIDGE FILTER	107407297	1	•	
SACK FILTER	107407296	1		
Wet Filter				
WET FILTER	107407299	1	•	



The future of wet and dry vacuum cleaning

Included accessories	Ref. no.	Min. required	VL500 35 BDF 230V/50HZ CN	VL500 35 BDF 100V 50-60HZ JP
Tube				
EXTENSION TUBE D32 - SS	107407309	1	•	•

Model	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Ref. no.	107405155	107405160	107405171

PRODUCT FEATURES

Tube holder	•	•	•
Dual filter system		•	•
Storage of accessories	•	•	•

Model	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US	VL500 35 BDF 230V/50 ZA
Ref. no.	107405179	107405189	107405202

PRODUCT FEATURES

Tube holder	•	•	•
Dual filter system			•
Storage of accessories	•	•	•

Model		VL500 35 BDF 230V/50HZ CN	VL500 35 BDF 100V 50-60HZ JP
Ref. no.		107405534	107408813

PRODUCT FEATURES

Tube holder		•	•
Dual filter system		•	•
Storage of accessories		•	•

Technical specifications	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Cable length (m)/ plug type	10/EU	10/EU	10/UK
Volt/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60
Ip protection class	IP24	IP24	IP24
Rated power (W)	1350	1350	1350
Power piec (W)	1250	1250	1250
Suction power end of tube (W)	250	250	250
Airflow (l/sec)	48	48	48
Vacuum at nozzle (kPa)	20	20	20
Sound pressure level (dB(A) BS 5415)	62	62	62
Sound power level (dB(A) IEC 704)	81	81	81
Tank capacity (l)	35	35	35



The future of wet and dry vacuum cleaning

Technical specifications	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Dust bag capacity (l)	18	18	18
Sack filter area (cm ²)	1051	-	-
Wet filter area (cm ²)	-	1051	1051
Cartridge filter area (cm ²)	-	2070	2070
Hose length (m)	1.9	1.9	1.9
Inlet (mm)	32	32	32
Length x width x height (cm)	46x42x73	46x42x73	46x42x73
Weight (kg)	11.5	12.5	12.5

Technical specifications	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US	VL500 35 BDF 230V/50 ZA
Cable length (m)/ plug type	10/AUS	15/US	10/ZA
Volt/frequency (V/Hz)	220-240/50	120/60	220-240/50-60
Ip protection class	IP24	IP24	IP24
Rated power (W)	1350	1100	1350
Power piec (W)	1250	1000	1250
Suction power end of tube (W)	250	220	250
Airflow (l/sec)	48	45	48
Vacuum at nozzle (kPa)	20	20	20
Sound pressure level (dB(A) BS 5415)	62	62	62
Sound power level (dB(A) IEC 704)	81	81	81
Tank capacity (l)	35	35	35
Dust bag capacity (l)	18	18	18
Sack filter area (cm ²)	1051	1051	-
Wet filter area (cm ²)	-	-	1051
Cartridge filter area (cm ²)	-	-	2070
Hose length (m)	1.9	1.9	1.9
Inlet (mm)	32	32	32
Length x width x height (cm)	46x42x73	46x42x73	46x42x73
Weight (kg)	11.5	11.5	12.5

Technical specifications	VL500 35 BDF 230V/50HZ CN	VL500 35 BDF 100V 50-60HZ JP
Cable length (m)/ plug type	10/CN	15/JP
Volt/frequency (V/Hz)	220-240/50-60	100/50-60
Ip protection class	IP24	IP24
Rated power (W)	1350	1250
Power piec (W)	1250	1150
Suction power end of tube (W)	250	250



The future of wet and dry vacuum cleaning

Technical specifications	VL500 35 BDF 230V/50HZ CN	VL500 35 BDF 100V 50-60HZ JP
Airflow (l/sec)	48	48
Vacuum at nozzle (kPa)	20	20
Sound pressure level (dB(A) BS 5415)	62	62
Sound power level (dB(A) IEC 704)	81	81
Tank capacity (l)	35	35
Dust bag capacity (l)	18	18
Sack filter area (cm ²)	-	-
Wet filter area (cm ²)	1051	1051
Cartridge filter area (cm ²)	2070	2070
Hose length (m)	1.9	1.9
Inlet (mm)	32	32
Length x width x height (cm)	46x42x73	46x42x73
Weight (kg)	12.5	12.5

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50-60 EU	VL500 35 EDF 220-240V/50 UK
Filter Bag					
FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	○	○	○
Filter					
CARTRIDGE FILTER	107407297	1		●	●
HEPA CARTRIDGE FILTER	107409006	1		○	○
SACK FILTER	107407296	1	●		
Wet Filter					
WET FILTER	107407299	1		●	●
Hose Vacuum Cleaner					
HOSE D32 1.9M CPL	107407308	1	●	●	●
Tube					
EXTENSION TUBE D32 - SS	107407309	1	●	●	●
Vac Nozzle Wet					
FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	●	●	●
Hard Floor Nozzle					
FLOOR NOZZLE D32 BRUSH	107407311	1	●	●	●
Round Brush Nozzle					
BRUSH NOZZLE D32	107407312	1	●	●	●
Crevice Nozzle					
CREVICE NOZZLE D32	107407334	1	●	●	●



The future of wet and dry vacuum cleaning

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	VL500 35 BSF 220-240V/50 AU/NZ	VL500 35 BSF 120V/60 US	VL500 35 BDF 230V/50 ZA
Filter Bag					
FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	○	○	○
Filter					
CARTRIDGE FILTER	107407297	1			●
HEPA CARTRIDGE FILTER	107409006	1			○
SACK FILTER	107407296	1	●	●	
Wet Filter					
WET FILTER	107407299	1			●
Hose Vacuum Cleaner					
HOSE D32 1.9M CPL	107407308	1	●	●	●
Tube					
EXTENSION TUBE D32 - SS	107407309	1	●	●	●
Vac Nozzle Wet					
FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	●	●	●
Hard Floor Nozzle					
FLOOR NOZZLE D32 BRUSH	107407311	1	●	●	●
Round Brush Nozzle					
BRUSH NOZZLE D32	107407312	1	●	●	●
Crevice Nozzle					
CREVICE NOZZLE D32	107407334	1	●	●	●

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	VL500 35 BDF 230V/50HZ CN	VL500 35 BDF 100V 50-60HZ JP
Filter Bag				
FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	○	○
Filter				
CARTRIDGE FILTER	107407297	1	●	
HEPA CARTRIDGE FILTER	107409006	1	○	
SACK FILTER	107407296	1		○
Wet Filter				
WET FILTER	107407299	1	●	
Hose Vacuum Cleaner				
HOSE D32 1.9M CPL	107407308	1	●	●
Tube				
EXTENSION TUBE D32 - SS	107407309	1	●	●



The future of wet and dry vacuum cleaning

Accessories	Ref. no.	Min. required	VL500 35 BDF 230V/50HZ CN	VL500 35 BDF 100V 50-60HZ JP
Vac Nozzle Wet				
FLOOR NOZZLE D32 RUBBER STRIP	107407310	1	•	•
Hard Floor Nozzle				
FLOOR NOZZLE D32 BRUSH	107407311	1	•	•
Round Brush Nozzle				
BRUSH NOZZLE D32	107407312	1	•	•
Crevice Nozzle				
CREVICE NOZZLE D32	107407334	1	•	•

