The future of wet and dry vacuum cleaning

VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. The VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter. Go to the specific factsheet for further information.

- Empty the container without having to remove the motor head makes operation fast and easy without risk of damage to critical components
- By transferring the weight as you lift the container, the Nilfisk Ergo
 Tipping system enables you to empty a completely filled container of
 fluid without excessive effort
- Easy changing of filters with the hinged motor head protects the machines and speeds up the process
- With the dual filtration system, the VL500 can be used in both wet or dry applications without the need to change filters



Picture shown may not represent model quoted

The VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time has features making daily cleaning tasks easier, faster and safer.

Standard equipment

| | Included accessories | Ref. no. | Min. required | VL500 55-1 BSF 220-240V/50-60 EU | VL500 55-2 BSF 220-240V/50-60 EU | VL500 55-1 EDF 220-240V/50-60 EU |
|---------------|-------------------------------|-----------|------------------|---|---|---|
| Hose Vacuum | Cleaner | | | | | |
| | HOSE D40 2.5M CPL | 107407336 | 1 | • | • | • |
| Vac Nozzle W | /et | | | | | |
| | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | • | • | • |
| Hard Floor No | ozzle | | | | | |
| | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • | • |
| Crevice Nozz | е | | | | | |
| | CREVICE NOZZLE D40 | 107408850 | 1 | • | • | • |
| Filter | | | | | | |
| | CARTRIDGE FILTER | 107407300 | 1 | | | • |
| | SACK FILTER | 107407304 | 1 | • | • | |
| Wet Filter | | | | | | |
| | WET FILTER | 107407302 | 1 | | | • |
| Tube | | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • | • |
| Other | | | | | | |
| | TUBEHOLDER D40 | 107407335 | 1 | • | • | • |



The future of wet and dry vacuum cleaning

Standard equipment

| | Included accessories | Ref. no. | Min. required | VL500 55-2 EDF 220-240V/50-60 EU | VL500 55-2 EDF 220-240V/50 UK | VL500 55-1 BDF 220-240V/50-60 EU |
|----------------|-------------------------------|-----------|------------------|---|--|---|
| Hose Vacuui | m Cleaner | | | | | |
| | HOSE D40 2.5M CPL | 107407336 | 1 | • | • | • |
| Vac Nozzle \ | Vet | | | | | |
| | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | • | • | • |
| Hard Floor N | ozzle | | | | | |
| | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • | • |
| Crevice Nozzie | | | | | | |
| | CREVICE NOZZLE D40 | 107408850 | 1 | • | • | • |
| Filter | | | | | | |
| | CARTRIDGE FILTER | 107407300 | 1 | • | • | • |
| | SACK FILTER | 107407304 | 1 | | | |
| Wet Filter | | | | | | |
| | WET FILTER | 107407302 | 1 | • | • | • |
| Tube | | · | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • | • |
| Other | | | | | | |
| | TUBEHOLDER D40 | 107407335 | 1 | • | • | • |

Standard equipment

| | Included accessories | Ref. no. | Min. required | VL500 55-2 BDF 220-240V/50-60 EU | VL500 55-1 EDF 100V 50-60HZ JP |
|---------------|-------------------------------|-----------|------------------|---|--------------------------------------|
| Hose Vacuum | Cleaner | | | | |
| | HOSE D40 2.5M CPL | 107407336 | 1 | • | • |
| Vac Nozzle W | /et | | | | |
| | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | • | • |
| Hard Floor No | zzle | | | | |
| | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • |
| Crevice Nozzl | е | | | | |
| | CREVICE NOZZLE D40 | 107408850 | 1 | • | • |
| Filter | | | | | |
| | CARTRIDGE FILTER | 107407300 | 1 | • | • |
| | SACK FILTER | 107407304 | 1 | | |
| Wet Filter | | | | | |
| | WET FILTER | 107407302 | 1 | • | • |
| Tube | | | | | |



The future of wet and dry vacuum cleaning

| | Included accessories | | Ref. no. | Min. required | VL500 55-2 BDF 220-240V/50-60 EU | VL500 55-1 EDF 100V 50-60HZ JP |
|-----------------|-------------------------|------------|-------------------------------|---------------------|---|--------------------------------------|
| | EXTENSION TUBE D40 - SS | | 107407337 | 1 | • | • |
| Other | | | | | | |
| | TUBEHOLDER D40 | | 107407335 | 1 | • | • |
| Model | | VL 220- | 500 55-1 BSF 240V/50-60 EU | VL500 5 220-240V | 5-2 BSF V /50-60 EU 220 | L500 55-1 EDF D-240V/50-60 EU |
| Ref. no. | | | 107405156 | 10740 | 05157 | 107405161 |
| PRODUCT F | EATURES | | | | | |
| Dual power | | | | | , | |
| Tube holder | | | • | (| • | • |
| Dual filter sys | stem | | | | | • |
| Folding trans | port handle | | | | | • |
| Adjustable ha | andle | | | | | • |
| Storage of ac | ccessories | | • | (| • | • |
| Drain hose | | | • | • | • | • |
| Ergo tipping | | | | | | • |
| Model | | VL 220- | 500 55-2 EDF 240V/50-60 EU | VL500 5 220-240 | 5-2 EDF V V/50 UK 220 | L500 55-1 BDF 0-240V/50-60 EU |
| Ref. no. | | | 107405162 | 10740 | 05173 | 107407459 |
| PRODUCT F | EATURES | | | | | |
| Dual power | | | • | • | • | |
| Tube holder | | | • | • | • | • |
| Dual filter sys | stem | | • | • | • | • |
| Folding trans | | | • | • | • | |
| Adjustable ha | | | • | • | • | |
| Storage of ac | cessories | | • | • | • | • |
| Drain hose | | | • | | | • |
| Ergo tipping | | | • | | | |
| Model | | | | VL500 5 220-240V | 5-2 BDF V /50-60 EU 10 | L500 55-1 EDF 00V 50-60HZ JP |
| Ref. no. | | | | 10740 | 07460 | 107408814 |
| PRODUCT F | EATURES | | | | | |
| Dual power | | | | | • | |
| Tube holder | | | | | • | • |
| Dual filter sys | stem | | | | • | |
| Folding trans | port handle | | | | | |



The future of wet and dry vacuum cleaning

| Model | | VL500 55-2 BDF 220-240V/50-60 EU | VL500 55-1 EDF 100V 50-60HZ JP |
|--------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Ref. no. | | 107407460 | 107408814 |
| PRODUCT FEATURES | | | |
| Adjustable handle | | | |
| Storage of accessories | | • | • |
| Drain hose | | • | • |
| Ergo tipping | | | |
| Technical specifications | VL500 55-1 BSF 220-240V/50-60 EU | VL500 55-2 BSF 220-240V/50-60 EU | VL500 55-1 EDF 220-240V/50-60 EU |
| Cable length (m)/ plug type | 10/EU | 10/EU | 10/EU |
| Volt/frequency (V/Hz) | 220-240/50-60 | 220-240/50-60 | 220-240/50-60 |
| Ip protection class | IP24 | IP24 | IP24 |
| Rated power (W) | 1350 | 2500 | 1350 |
| Power piec (W) | 1250 | 2400 | 1250 |
| Suction power end of tube (W) | 200 | 200 | 200 |
| Airflow (I/sec) | 48 | 72 | 48 |
| Vacuum at nozzle (kPa) | 20 | 21 | 20 |
| Sound pressure level (dB(A) BS 5415) | 64 | 66 | 64 |
| Sound power level (dB(A) IEC 704) | 82 | 84 | 82 |
| Tank capacity (I) | 55 | 55 | 55 |
| Dust bag capacity (I) | 28 | 28 | 28 |
| Sack filter area (cm²) | 1840 | 1840 | - |
| Wet filter area (cm²) | - | - | 1840 |
| Cartridge filter area (cm²) | - | - | 4410 |
| Hose length (m) | 2.5 | 2.5 | 2.5 |
| Inlet (mm) | 40 | 40 | 40 |
| Length x width x height (cm) | 84x62x100 | 84x62x100 | 66x62x89 |
| Weight (kg) | 23.5 | 24.5 | 26.5 |
| Technical specifications | VL500 55-2 EDF 220-240V/50-60 EU | VL500 55-2 EDF 220-240V/50 UK | VL500 55-1 BDF 220-240V/50-60 EU |
| Cable length (m)/ plug type | 10/EU | 10/UK | 10/EU |
| Volt/frequency (V/Hz) | 220-240/50-60 | 220-240/50-60 | 220-240/50-60 |
| Ip protection class | IP24 | IP24 | IP24 |
| Rated power (W) | 2500 | 2500 | 1350 |
| Power piec (W) | 2400 | 2400 | 1250 |
| Suction power end of tube (W) | 200 | 200 | 200 |
| Airflow (I/sec) | 72 | 72 | 48 |
| Vacuum at nozzle (kPa) | 21 | 21 | 20 |



The future of wet and dry vacuum cleaning

| Technical specifications | VL500 55-2 EDF 220-240V/50-60 EU | VL500 55-2 EDF 220-240V/50 UK | VL500 55-1 BDF 220-240V/50-60 EU |
|--------------------------------------|-------------------------------------|----------------------------------|-------------------------------------|
| Sound pressure level (dB(A) BS 5415) | 66 | 66 | 64 |
| Sound power level (dB(A) IEC 704) | 84 | 84 | 82 |
| Tank capacity (I) | 55 | 55 | 55 |
| Dust bag capacity (I) | 28 | 28 | 28 |
| Sack filter area (cm²) | - | - | - |
| Wet filter area (cm²) | 1840 | 1840 | 1840 |
| Cartridge filter area (cm²) | 4410 | 4410 | 4410 |
| Hose length (m) | 2.5 | 2.5 | 2.5 |
| Inlet (mm) | 40 | 40 | 40 |
| Length x width x height (cm) | 66x62x89 | 66x62x89 | 84x62x100 |
| Weight (kg) | 27.5 | 27.5 | 24.5 |

| Cable length (m)/ plug type 10/EU 15/JP Volt/frequency (V/Hz) 220-240/50-60 100/50-60 lp protection class IP24 IP24 Rated power (W) 2500 1250 Power piec (W) 2400 1150 Suction power end of tube (W) 200 190 Airflow (I/sec) 72 48 Vacuum at nozzle (kPa) 21 20 Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 Weight (kg) 25.5 26.5 | Technical specifications | VL500 55-2 BDF 220-240V/50-60 EU | VL500 55-1 EDF 100V 50-60HZ JP |
|--|--------------------------------------|-------------------------------------|-----------------------------------|
| IP24 IP24 Rated power (W) 2500 1250 Power piec (W) 2400 1150 Suction power end of tube (W) 200 190 Airflow (I/sec) 72 48 Vacuum at nozzle (kPa) 21 20 Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Cable length (m)/ plug type | 10/EU | 15/JP |
| Rated power (W) 2500 1250 Power piec (W) 2400 1150 Suction power end of tube (W) 200 190 Airflow (I/sec) 72 48 Vacuum at nozzle (kPa) 21 20 Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Volt/frequency (V/Hz) | 220-240/50-60 | 100/50-60 |
| Power piec (W) 2400 1150 Suction power end of tube (W) 200 190 Airflow (I/sec) 72 48 Vacuum at nozzle (kPa) 21 20 Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Ip protection class | IP24 | IP24 |
| Suction power end of tube (W) 200 190 Airflow (I/sec) 72 48 Vacuum at nozzle (kPa) 21 20 Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Rated power (W) | 2500 | 1250 |
| Airflow (I/sec) 72 48 Vacuum at nozzle (kPa) 21 20 Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Power piec (W) | 2400 | 1150 |
| Vacuum at nozzle (kPa) 21 20 Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Suction power end of tube (W) | 200 | 190 |
| Sound pressure level (dB(A) BS 5415) 66 64 Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Airflow (I/sec) | 72 | 48 |
| Sound power level (dB(A) IEC 704) 84 82 Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Vacuum at nozzle (kPa) | 21 | 20 |
| Tank capacity (I) 55 55 Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Sound pressure level (dB(A) BS 5415) | 66 | 64 |
| Dust bag capacity (I) 28 28 Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Sound power level (dB(A) IEC 704) | 84 | 82 |
| Sack filter area (cm²) - - Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Tank capacity (I) | 55 | 55 |
| Wet filter area (cm²) 1840 1840 Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Dust bag capacity (I) | 28 | 28 |
| Cartridge filter area (cm²) 4410 4410 Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Sack filter area (cm²) | - | - |
| Hose length (m) 2.5 2.5 Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Wet filter area (cm²) | 1840 | 1840 |
| Inlet (mm) 40 40 Length x width x height (cm) 84x62x100 66x62x89 | Cartridge filter area (cm²) | 4410 | 4410 |
| Length x width x height (cm) 84x62x100 66x62x89 | Hose length (m) | 2.5 | 2.5 |
| | Inlet (mm) | 40 | 40 |
| Weight (kg) 25.5 26.5 | Length x width x height (cm) | 84x62x100 | 66x62x89 |
| | Weight (kg) | 25.5 | 26.5 |



The future of wet and dry vacuum cleaning

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | VL500 55-1 BSF 220-240V/50-60 EU | VL500 55-2 BSF 220-240V/50-60 EU | VL500 55-1 EDF 220-240V/50-60 EU |
|--------------|----------------------------------|-----------|------------------|---|---|---|
| System 50 H | ose Vacuum Cleaner | | | | | |
| | HOSE CONNECTION Ø50 PVC | 6330 | 0 | 0 | 0 | 0 |
| | HOSE SLEEVE Ø50/50 ABS | 15101 | 0 | 0 | 0 | 0 |
| | HOSE UNIVERSAL Ø50 EVA PER METRE | 11984 | 0 | 0 | 0 | 0 |
| Squeegee, B | lade, Skirt and Splash Guard | | | | | |
| | SQUEEGEE COMPLETE ANTHRACIT | 107407051 | 1 | 0 | 0 | 0 |
| Filter Bag | | ' | ' | 1 | | |
| 8 | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | 0 | 0 | 0 |
| Filter | | | | | | |
| | CARTRIDGE FILTER | 107407300 | 1 | 0 | 0 | • |
| | HEPA CARTRIDGE FILTER | 107409007 | 1 | 0 | 0 | 0 |
| | SACK FILTER | 107407304 | 1 | • | • | 0 |
| Wet Filter | | | | | | |
| | WET FILTER | 107407302 | 1 | 0 | 0 | • |
| Other | | | | | | |
| | PUMP KIT – VL500 220/240V | 107408801 | 1 | 0 | 0 | 0 |
| | TUBEHOLDER D40 | 107407335 | 1 | • | • | • |
| Hose Vacuur | n Cleaner | | | | | |
| | HOSE D40 2.5M CPL | 107407336 | 1 | • | • | • |
| Tube | | · | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • | • |
| Vac Nozzle V | Vet | | | | | |
| | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | • | • | • |
| Hard Floor N | ozzle | | | | | |
| | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • | • |
| Crevice Nozz | ie | | | | | |
| | CREVICE NOZZLE D40 | 107408850 | 1 | • | • | • |



The future of wet and dry vacuum cleaning

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | VL500 55-2 EDF 220-240V/50-60 EU | VL500 55-2 EDF 220-240V/50 UK | VL500 55-1 BDF 220-240V/50-60 EU |
|--------------|----------------------------------|-----------|------------------|---|--|---|
| System 50 H | ose Vacuum Cleaner | | | | | |
| | HOSE CONNECTION Ø50 PVC | 6330 | 0 | 0 | 0 | 0 |
| | HOSE SLEEVE Ø50/50 ABS | 15101 | 0 | 0 | 0 | 0 |
| | HOSE UNIVERSAL Ø50 EVA PER METRE | 11984 | 0 | 0 | 0 | 0 |
| Squeegee, B | lade, Skirt and Splash Guard | | | | | |
| | SQUEEGEE COMPLETE ANTHRACIT | 107407051 | 1 | 0 | 0 | 0 |
| Filter Bag | | | | | | |
| 8 | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | 0 | 0 | 0 |
| Filter | | | | | | |
| | CARTRIDGE FILTER | 107407300 | 1 | • | • | • |
| | HEPA CARTRIDGE FILTER | 107409007 | 1 | 0 | 0 | 0 |
| | SACK FILTER | 107407304 | 1 | 0 | 0 | 0 |
| Wet Filter | | | | | | |
| | WET FILTER | 107407302 | 1 | • | • | • |
| Other | | | | | | |
| | PUMP KIT – VL500 220/240V | 107408801 | 1 | 0 | 0 | 0 |
| | TUBEHOLDER D40 | 107407335 | 1 | • | • | • |
| Hose Vacuur | n Cleaner | | | | | |
| | HOSE D40 2.5M CPL | 107407336 | 1 | • | • | • |
| Tube | | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • | • |
| Vac Nozzle V | Vet | | | | | |
| | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | • | • | • |
| Hard Floor N | ozzle | | | | | |
| | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • | • |
| Crevice Nozz | ele | | | | | |
| | CREVICE NOZZLE D40 | 107408850 | 1 | • | • | • |



The future of wet and dry vacuum cleaning

 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

| | Accessories | Ref. no. | Min. required | VL500 55-2 BDF 220-240V/50-60 EU | VL500 55-1 EDF 100V 50-60HZ JP |
|---------------|----------------------------------|-----------|------------------|---|--------------------------------------|
| System 50 Ho | ose Vacuum Cleaner | , | | | |
| | HOSE CONNECTION Ø50 PVC | 6330 | 0 | 0 | 0 |
| | HOSE SLEEVE Ø50/50 ABS | 15101 | 0 | 0 | 0 |
| | HOSE UNIVERSAL Ø50 EVA PER METRE | 11984 | 0 | 0 | 0 |
| Squeegee, B | lade, Skirt and Splash Guard | | | | |
| | SQUEEGEE COMPLETE ANTHRACIT | 107407051 | 1 | 0 | 0 |
| Filter Bag | | | | | |
| 8 | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | 0 | 0 |
| Filter | | | | | |
| | CARTRIDGE FILTER | 107407300 | 1 | • | • |
| | HEPA CARTRIDGE FILTER | 107409007 | 1 | 0 | 0 |
| | SACK FILTER | 107407304 | 1 | 0 | 0 |
| Wet Filter | | | | | |
| | WET FILTER | 107407302 | 1 | • | • |
| Other | | | | | |
| | PUMP KIT – VL500 220/240V | 107408801 | 1 | 0 | 0 |
| | TUBEHOLDER D40 | 107407335 | 1 | • | • |
| Hose Vacuun | n Cleaner | | | | |
| | HOSE D40 2.5M CPL | 107407336 | 1 | • | • |
| Tube | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • |
| Vac Nozzle V | Vet | | | | |
| | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | • | • |
| Hard Floor No | ozzle | | | | |
| | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • |
| Crevice Nozz | le | | | | |
| | CREVICE NOZZLE D40 | 107408850 | 1 | • | • |

