

## The future of wet and dry vacuum cleaning

VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. The VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter. Go to the specific factsheet for further information.

- Quick release adjustable push handle for easy and ergonomic maneuvering of the machine
- Emptying the container without having to remove the motor head makes operation fast and easy without risk of damage to critical components
- By transferring the weight as you lift the container, the Nilfisk Ergo Tipping system enables you to empty a completely filled container of fluid without excessive effort
- Easy changing of filters with the hinged motor head protects the machines and speeds up the process
- The VL500 can be used in both wet or dry applications without the need to change filters



Picture shown may not represent model quoted

The VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time has features making daily cleaning tasks easier, faster and safer.

• Standard equipment

Included accessories	Ref. no.	Min. required	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
<b>Hose Vacuum Cleaner</b>					
HOSE D40 2.5M CPL	107407336	1	•	•	•
<b>Vac Nozzle Wet</b>					
FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	•	•	•
<b>Hard Floor Nozzle</b>					
FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
<b>Crevice Nozzle</b>					
CREVICE NOZZLE D40	107408850	1	•	•	•
<b>Filter</b>					
CARTRIDGE FILTER	107407300	1			•
SACK FILTER	107407304	1	•	•	
<b>Wet Filter</b>					
WET FILTER	107407302	1			•
<b>Tube</b>					
EXTENSION TUBE D40 - SS	107407337	1	•	•	•
<b>Other</b>					
TUBEHOLDER D40	107407335	1	•	•	•



## The future of wet and dry vacuum cleaning

## ● Standard equipment

Included accessories	Ref. no.	Min. required	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
<b>Hose Vacuum Cleaner</b>					
HOSE D40 2.5M CPL	107407336	1	•	•	•
<b>Vac Nozzle Wet</b>					
FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	•	•	•
<b>Hard Floor Nozzle</b>					
FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
<b>Crevice Nozzle</b>					
CREVICE NOZZLE D40	107408850	1	•	•	•
<b>Filter</b>					
CARTRIDGE FILTER	107407300	1	•	•	•
SACK FILTER	107407304	1			
<b>Wet Filter</b>					
WET FILTER	107407302	1	•	•	•
<b>Tube</b>					
EXTENSION TUBE D40 - SS	107407337	1	•	•	•
<b>Other</b>					
TUBEHOLDER D40	107407335	1	•	•	•

## ● Standard equipment

Included accessories	Ref. no.	Min. required	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-- 60Hz
<b>Hose Vacuum Cleaner</b>					
HOSE D40 2.5M CPL	107407336	1	•	•	•
<b>Vac Nozzle Wet</b>					
FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	•	•	•
<b>Hard Floor Nozzle</b>					
FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
<b>Crevice Nozzle</b>					
CREVICE NOZZLE D40	107408850	1	•	•	•
<b>Filter</b>					
CARTRIDGE FILTER	107407300	1	•	•	
SACK FILTER	107407304	1			
<b>Wet Filter</b>					
WET FILTER	107407302	1	•	•	
<b>Tube</b>					



## The future of wet and dry vacuum cleaning

Included accessories	Ref. no.	Min. required	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-60Hz
EXTENSION TUBE D40 - SS	107407337	1	•	•	•
<b>Other</b>					
TUBEHOLDER D40	107407335	1	•	•	•

Model	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
Ref. no.	107405158	107405159	107405163

## PRODUCT FEATURES

Dual power			•
Tube holder	•		•
Dual filter system			•
Folding transport handle			•
Adjustable handle			•
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping			•

Model	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
Ref. no.	107405164	107405174	107405185

## PRODUCT FEATURES

Dual power	•	•	•
Tube holder	•	•	•
Dual filter system	•	•	•
Folding transport handle	•	•	•
Adjustable handle	•	•	•
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping	•	•	•

Model	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-60Hz
Ref. no.	107405203	107405536	107407462

## PRODUCT FEATURES

Dual power	•	•	•
Tube holder	•	•	•
Dual filter system	•	•	•
Folding transport handle	•	•	



## The future of wet and dry vacuum cleaning

Model	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-60Hz
Ref. no.	107405203	107405536	107407462

## PRODUCT FEATURES

Adjustable handle	•	•	
Storage of accessories	•	•	•
Drain hose	•	•	•
Ergo tipping	•	•	

Technical specifications	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
Plug type	EU	EU	EU
Cable length (m)/ plug type	10/EU	10/EU	10/EU
Voltage (V)	220-240	220-240	NEW
Frequency (Hz)	50-60	50-60	50-60
Volt/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60
Ip protection class	IP24	IP24	IP24
Rated power (W)	1350	2500	1350
Power piec (W)	1250	2400	1250
Suction power end of tube (W)	200	200	200
Airflow (l/sec)	48	72	48
Vacuum at nozzle (kPa)	20	21	20
Sound pressure level (dB(A) BS 5415)	64	66	64
Sound power level (dB(A) IEC 704)	82	84	82
Cable length (m)	10	10	10
Tank capacity (l)	75	75	75
Dust bag capacity (l)	44	44	44
Sack filter area (cm <sup>2</sup> )	1840	1840	-
Wet filter area (cm <sup>2</sup> )	-	-	1840
Cartridge filter area (OPTIONAL) (cm <sup>2</sup> )	-	-	4410
Hose length (m)	2.5	2.5	2.5
Inlet (mm)	40	40	40
Length x width x height (cm)	84x62x100	84x62x100	66x62x103
Weight (kg)	26	27	27.5



## The future of wet and dry vacuum cleaning

Technical specifications	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
Plug type	EU	UK	AU/NZ
Cable length (m)/ plug type	10/EU	10/UK	10/AUS
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50
Volt/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50
Ip protection class	IP24	IP24	IP24
Rated power (W)	2500	2500	2500
Power piec (W)	2400	2400	2400
Suction power end of tube (W)	200	200	200
Airflow (l/sec)	72	72	72
Vacuum at nozzle (kPa)	21	21	21
Sound pressure level (dB(A) BS 5415)	66	66	66
Sound power level (dB(A) IEC 704)	84	84	84
Cable length (m)	10	10	10
Tank capacity (l)	75	75	75
Dust bag capacity (l)	44	44	44
Sack filter area (cm <sup>2</sup> )	-	-	-
Wet filter area (cm <sup>2</sup> )	1840	1840	1840
Cartridge filter area (OPTIONAL) (cm <sup>2</sup> )	4410	4410	4410
Hose length (m)	2.5	2.5	2.5
Inlet (mm)	40	40	40
Length x width x height (cm)	66x62x103	66x62x103	66x62x103
Weight (kg)	28.5	28.5	28.5



Technical specifications	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-60Hz
Plug type	ZA	CN	EU
Cable length (m)/ plug type	10/ZA	10/CN	10/EU
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Volt/frequency (V/Hz)	220-240/50-60	220-240/50-60	220-240/50-60
Ip protection class	IP24	IP24	IP24
Rated power (W)	2500	2500	2500
Power piec (W)	2400	2400	2400
Suction power end of tube (W)	200	200	200
Airflow (l/sec)	72	72	72
Vacuum at nozzle (kPa)	21	21	21
Sound pressure level (dB(A) BS 5415)	66	66	66



## The future of wet and dry vacuum cleaning

Technical specifications	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-60Hz
Sound power level (dB(A) IEC 704)	84	84	84
Cable length (m)	10	10	10
Tank capacity (l)	75	75	75
Dust bag capacity (l)	44	44	44
Sack filter area (cm <sup>2</sup> )	-	-	-
Wet filter area (cm <sup>2</sup> )	1840	1840	1840
Cartridge filter area (OPTIONAL) (cm <sup>2</sup> )	4410	4410	4410
Hose length (m)	2.5	2.5	2.5
Inlet (mm)	40	40	40
Length x width x height (cm)	66x62x103	66x62x103	84x62x100
Weight (kg)	28.5	28.5	28



● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
<b>System 50 Hose Vacuum Cleaner</b>					
HOSE CONNECTION Ø50 PVC	6330	0	○	○	○
HOSE SLEEVE Ø50/50 ABS	15101	0	○	○	○
HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	○	○	○
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
SQUEEGEE COMPLETE ANTHRACIT	107407051	1	○	○	○
<b>Filter Bag</b>					
 FLEECE FILTER BAG PU 5 PCS	302002892	1	○	○	○
<b>Filter</b>					
CARTRIDGE FILTER	107407300	1			●
HEPA CARTRIDGE FILTER	107409007	1	○	○	○
SACK FILTER	107407304	1	●	●	
<b>Wet Filter</b>					
WET FILTER	107407302	1			●
<b>Other</b>					
 PUMP KIT – VL500 220/240V	107408801	1	○	○	○
TUBEHOLDER D40	107407335	1	●	●	●
<b>Hose Vacuum Cleaner</b>					

## The future of wet and dry vacuum cleaning

Accessories		Ref. no.	Min. required	VL500 75-1 BSF 220-240V/50-60 EU	VL500 75-2 BSF 220-240V/50-60 EU	VL500 75-1 EDF 220-240V/50-60 EU
	HOSE D40 2.5M CPL	107407336	1	•	•	•
<b>Tube</b>						
	EXTENSION TUBE D40 - SS	107407337	1	•	•	•
<b>Vac Nozzle Wet</b>						
	FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	•	•	•
<b>Hard Floor Nozzle</b>						
	FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
<b>Crevice Nozzle</b>						
	CREVICE NOZZLE D40	107408850	1	•	•	•



• Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
<b>System 50 Hose Vacuum Cleaner</b>						
	HOSE CONNECTION Ø50 PVC	6330	0	○	○	○
	HOSE SLEEVE Ø50/50 ABS	15101	0	○	○	○
	HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	○	○	○
<b>Squeegee, Blade, Skirt and Splash Guard</b>						
	SQUEEGEE COMPLETE ANTHRACIT	107407051	1	○	○	○
<b>Filter Bag</b>						
	FLEECE FILTER BAG PU 5 PCS	302002892	1	○	○	○
<b>Filter</b>						
	CARTRIDGE FILTER	107407300	1	•	•	•
	HEPA CARTRIDGE FILTER	107409007	1	○	○	○
	SACK FILTER	107407304	1			
<b>Wet Filter</b>						
	WET FILTER	107407302	1	•	•	•
<b>Other</b>						
	PUMP KIT – VL500 220/240V	107408801	1	○	○	○
	TUBEHOLDER D40	107407335	1	•	•	•
<b>Hose Vacuum Cleaner</b>						
	HOSE D40 2.5M CPL	107407336	1	•	•	•

## The future of wet and dry vacuum cleaning

Accessories	Ref. no.	Min. required	VL500 75-2 EDF 220-240V/50-60 EU	VL500 75-2 EDF 220-240V/50 UK	VL500 75-2 EDF 220-240V/50 AU/NZ
<b>Tube</b>					
EXTENSION TUBE D40 - SS	107407337	1	•	•	•
<b>Vac Nozzle Wet</b>					
FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	•	•	•
<b>Hard Floor Nozzle</b>					
FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
<b>Crevice Nozzle</b>					
CREVICE NOZZLE D40	107408850	1	•	•	•

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-- 60Hz
<b>System 50 Hose Vacuum Cleaner</b>					
HOSE CONNECTION Ø50 PVC	6330	0	○	○	○
HOSE SLEEVE Ø50/50 ABS	15101	0	○	○	○
HOSE UNIVERSAL Ø50 EVA PER METRE	11984	0	○	○	○
<b>Squeegee, Blade, Skirt and Splash Guard</b>					
SQUEEGEE COMPLETE ANTHRACIT	107407051	1	○	○	○
<b>Filter Bag</b>					
 FLEECE FILTER BAG PU 5 PCS	302002892	1	○	○	○
<b>Filter</b>					
CARTRIDGE FILTER	107407300	1	•	•	
HEPA CARTRIDGE FILTER	107409007	1	○	○	○
SACK FILTER	107407304	1			○
<b>Wet Filter</b>					
WET FILTER	107407302	1	•	•	
<b>Other</b>					
 PUMP KIT – VL500 220/240V	107408801	1	○	○	○
TUBEHOLDER D40	107407335	1	•	•	•
<b>Hose Vacuum Cleaner</b>					
HOSE D40 2.5M CPL	107407336	1	•	•	•
<b>Tube</b>					



## The future of wet and dry vacuum cleaning

Accessories	Ref. no.	Min. required	VL500 75-2 EDF 230V/50 ZA	VL500 75-2 EDF 230V/50HZ CN	VL500 75-2 BDF 220-240V/50-- 60Hz
EXTENSION TUBE D40 - SS	107407337	1	•	•	•
<b>Vac Nozzle Wet</b>					
FLOOR NOZZLE D40 RUBBER STRIP	107407338	1	•	•	•
<b>Hard Floor Nozzle</b>					
FLOOR NOZZLE D40 BRUSH	107407339	1	•	•	•
<b>Crevice Nozzle</b>					
CREVICE NOZZLE D40	107408850	1	•	•	•