

## Better ergonomics, better reliability, better cleaning

Key features including an extremely low sound level, making daytime cleaning possible in sensitive areas, outstanding traction for efficient double scrubbing tasks, and excellent drying efficiency. The Ecoflex system keeps the consumption control, but it also guarantees the possibility to boost temporarily water, detergent and brush pressure for more aggressive cleaning tasks.

The BR755/755C/855 series is simply the better choice.

- Ecoflex™ prepared: green, flexible, nice and easy
- User friendly, waterproof OneTouch™ control panel and easy to operate
- High manoeuvrability allows cleaning in congested areas
- Adjustable scrubbing pressure ensure a wide range of cleaning application from daily scrubbing to restoration
- Integrated vacuum motor with low noise level for daytime cleaning applications
- Operator's easy access from left and right side
- Large battery compartment enables a 400Ah battery tray for more than 4.5 hours running time



Picture shown may not represent model quoted



BR755/755C/855 is the generation of scrubber/dryers, with focus on performance, ergonomics and reliability.

• Standard equipment

Included accessories	Ref. no.	Min. required	NILFISK BR755	NILFISK BR855	NILFISK BR755C
<b>Brush Cylindrical</b>					
BRUSH POLYPROPYLENE 28-RED	56412046	2			
<b>Pad Holder</b>					
PAD HOLDER-17 3 LUG	56505780	2			
<b>Disc Brush 370 mm</b>					
DISC BRUSH-14 PROLENE 3 LUG	56505804	2			
<b>Disc Brush 430 mm</b>					
DISC BRUSH-17 PROLENE 3 LUG	56505784	2			
<b>Deck Blade</b>					
KIT SIDE SKIRT	56316194	1			•
SKIRT BLADE KIT-GUM	56383488	1	•	•	
<b>Squeegee Blade</b>					
BLADE KIT-SQUEEGEE-GUM 28	56382734	1	•		•
BLADE KIT-SQUEEGEE-GUM 34	56382738	1		•	
<b>Battery</b>					
BATT.24V-320Ah GEL SINGLE CELLS IN TRAY	80561411	1			
BATT. 6V-240AH GEL MONOBLOC	80564100	4			
<b>External Charger</b>					



## Better ergonomics, better reliability, better cleaning

Included accessories	Ref. no.	Min. required	NILFISK BR755	NILFISK BR855	NILFISK BR755C
 CHARGER HF 24V 25A SB175R	80542426	1			
 CHARGER HF 24V 40A SB175R	80542440	1			

Model	NILFISK BR755	NILFISK BR855	NILFISK BR755C
Ref. no.	56601014	56601015	56601016

## PRODUCT FEATURES

Adjustable steering and seat	•	•	•
Back up warning alarm	•	•	•
One touch control panel	•	•	•
Polyurethane front & rear wheels	•	•	•
Fully external suction hose	•	•	•
Compact squeegee concept	•	•	•
Debris tray	•	•	•
Ecoflex prepared	•	•	•
Squeegee	•	•	•







Technical specifications	NILFISK BR755	NILFISK BR855	NILFISK BR755C
Maximum running time	4.7	4.7	4.9
Max speed (km/h)	6.3	6.3	6.3
Voltage (V)	24	24	24
Ip protection class	IPX3	IPX3	IPX3
Insulation class	III	III	III
Rated power (W)	2040	2160	1920
Brush motor (W)	480	480	373
Vacuum motor power (W)	560	560	560
Airflow (l/sec)	29.7	29.7	29.7
Vacuum (kPa)	15.7	15.7	15.7
Sound pressure level at 1.5 m (dB(A) ISO 3744)	63.7	63.7	63.7
Productivity theoretical/ actual (m <sup>2</sup> /h)	4470/3130	5360/3750	4470/3130
Scrubbing width (mm)	710	860	710
Min. turn-around aisle width (cm)	163	171	163
Max climbing rate (%)	16	16	16
Water flow (l/m)	1.4/3.5	1.4/3.5	1.4/3.5



## Better ergonomics, better reliability, better cleaning











Technical specifications	NILFISK BR755	NILFISK BR855	NILFISK BR755C
Solution/recovery tank (l)	106/106	106/106	106/106
Brush/pad diameter (mm)	355/355	430/432	-
Brush pressure (kg)	40/65/96	40/65/96	27/36/45
Brush speed (RPM)	250	250	900
Brush quantity and type	2 Disc	2 Disc	2 Cylindrical
Length x width x height (cm)	152x77x131	152x92x131	152x80x131
Battery compartment size (LxWxH) (mm)	667x406x533	667x406x533	667x406x533
Gross weight (gvw) (kg)	658	658	658
Net weight (kg)	244	333	244

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	NILFISK BR755	NILFISK BR855	NILFISK BR755C
<b>Pad 14" / 355 mm</b>					
 PAD 14 355MM ECO BLACK 5PCS	10001916	2	○		
 PAD 14 355MM ECO BLUE 5PCS	10001917	2	○		
 PAD 14 355MM ECO BROWN 5PCS	10001918	2	○		
 PAD 14 355MM ECO GREEN 5PCS	10001919	2	○		
 PAD 14 355MM ECO RED 5PCS	10001920	2	○		
 PAD 14 355MM ECO WHITE 5PCS	10001921	2	□		
PAD 14 355MM EPP MAROON 10PCS	10001974	2	○		
<b>On-Board Charger</b>					
KIT ON BOARD CHARGER EUROPE	56601080	1	□	□	□
<b>Special Pad</b>					





























## Better ergonomics, better reliability, better cleaning








	Accessories	Ref. no.	Min. required	NILFISK BR755	NILFISK BR855	NILFISK BR755C
	PAD 14 355MM ECO BRILLIANCE BLUE 2PCS	10002325	2	○		
	PAD 14 355MM ECO BRILLIANCE GREEN 2PCS	10002327	2	○		
	PAD 14 355MM ECO BRILLIANCE RED 2PCS	10002324	2	○		
	PAD 14 355MM ECO BRILLIANCE YELLOW 2PCS	10002326	2	○		
	PAD 17 432MM ECO BRILLIANCE BLUE 2PCS	10002337	2		○	
	PAD 17 432MM ECO BRILLIANCE GREEN 2PCS	10002339	2		○	
	PAD 17 432MM ECO BRILLIANCE RED 2PCS	10002336	2		○	
	PAD 17 432MM ECO BRILLIANCE YELLOW 2PCS	10002338	2		○	
<b>External Charger</b>						
	CHARGER HF 24V 25A SB175R	80542426	1	○	○	○
	CHARGER HF 24V 30A SB175R	80542431	1	○	○	○
	CHARGER HF 24V 40A SB175R	80542440	1	○	○	○
<b>Battery</b>						
	BATT.24V-320Ah GEL SINGLE CELLS IN TRAY	80561411	1	□	□	□
	BATT.24V-360AH WET IN TRAY WITH AQUAMATI	80561311	1	□	□	□



## Better ergonomics, better reliability, better cleaning



Accessories		Ref. no.	Min. required	NILFISK BR755	NILFISK BR855	NILFISK BR755C
	BATT. 24V-400AH WET WELDED CELLS W/O TRAY	80561312	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	BATT. 6V-240AH GEL MONOBLOC	80564100	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	BATT. 6V-285AH WET SEMI T MONOBLOC	7116015	4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Disc Brush 370 mm</b>						
	DISC BRUSH-14 AGLITE 3 LUG	56505803	2	<input type="checkbox"/>		
	DISC BRUSH-14 DYNAGRIT 3 LUG	56505802	2	<input type="checkbox"/>		
	DISC BRUSH-14 MAGNAGRIT 3 LUG	56505801	2	<input type="checkbox"/>		
	DISC BRUSH-14 MIDGRIT 3 LUG	56505807	2	<input type="checkbox"/>		
	DISC BRUSH-14 MIDLITE 3 LUG	56505808	2	<input type="checkbox"/>		
	DISC BRUSH-14 PROLENE 3 LUG	56505804	2	<input type="checkbox"/>		
	DISC BRUSH-14 PROLITE 3 LUG	56505805	2	<input type="checkbox"/>		
	DISC BRUSH-14 UNION MIX 3 LUG	56505806	2	<input type="checkbox"/>		
<b>Ecoflex System</b>						
	CHEM BOTTLE ASSY-AXP	56315503	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	ECOFLEX CHEMICAL KIT-EU	56601082	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Brush Cylindrical</b>						
	BRUSH 180 GRIT 28-BLUE/GREY	56412193	2			<input type="checkbox"/>
	BRUSH HARD NYLON 28-NATURAL	56412192	2			<input type="checkbox"/>
	BRUSH POLYPROPYLENE 28-RED	56412046	2			<input type="checkbox"/>
	BRUSH SOFT NYLON 28-YELLOW	56412191	2			<input type="checkbox"/>
<b>Squeegee Blade</b>						
	BLADE KIT-SQUEEGEE-GUM 28	56382734	1	•		•
	BLADE KIT-SQUEEGEE-GUM 34	56382738	1		•	
	BLADE KIT-SQUEEGEE-PU 28	56382737	0	○		○
	BLADE KIT-SQUEEGEE-PU 34	56382740	0		○	
	BLADE KIT-SQUEEGEE-RED GUM 28	56382735	0	○		○
	BLADE KIT-SQUEEGEE-RED GUM 34	56382739	0		○	
<b>Deck Blade</b>						
	BLADE KIT PU CYL	56601538	1			<input type="checkbox"/>
	BLADE KIT-LINATEX CYL	56601681	1			<input type="checkbox"/>
	KIT SIDE SKIRT	56316194	1			•

## Better ergonomics, better reliability, better cleaning

Accessories		Ref. no.	Min. required	NILFISK BR755	NILFISK BR855	NILFISK BR755C
	SKIRT BLADE KIT-GUM	56383488	1	●	●	
	SKIRT BLADE KIT-PU	56383490	1	□	□	
	SKIRT BLADE KIT-RED GUM	56383489	1	□	□	
<b>Pad 17" / 432 mm</b>						
	PAD 17 432MM ECO BLACK 5PCS	10001938	2		○	
	PAD 17 432MM ECO BLUE 5PCS	10001939	2		○	
	PAD 17 432MM ECO GREEN 5PCS	10001940	2		○	
	PAD 17 432MM ECO RED 5PCS	10001941	2		○	
	PAD 17 432MM ECO TAN 5PCS	10001937	2		○	
	PAD 17 432MM ECO WHITE 5PCS	10001936	2		○	
	PAD 17 432MM EPP MAROON 10PCS	10001975	2		○	
<b>Disc Brush 430 mm</b>						
	DISC BRUSH-17 AGLITE 3 LUG	56505783	2		□	
	DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	2		□	
	DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	2		□	
	DISC BRUSH-17 MIDGRIT 3 LUG	56505787	2		□	
	DISC BRUSH-17 MIDLITE 3 LUG	56505788	2		□	
	DISC BRUSH-17 PROLENE 3 LUG	56505784	2		□	
	DISC BRUSH-17 PROLITE 3 LUG	56505785	2		□	
	DISC BRUSH-17 UNION MIX 3 LUG	56505786	2		□	
<b>Other</b>						
	ARM REST LH & RH	7-03-04249	1	□	□	□
	KIT DUAL VAC EU	56601090	1	□	□	□



## Better ergonomics, better reliability, better cleaning

Accessories		Ref. no.	Min. required	NILFISK BR755	NILFISK BR855	NILFISK BR755C
	KIT SEAT BELT	56422162	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	KIT VACUUM WAND WITH CADDY	56601087	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	STORAGE TRAY	56601269	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Light Option</b>						
	KIT BEACON	56601085	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Battery and Charger</b>						
	WATER FILLING TANK 25L	L00190411	0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Pad Holder</b>						
	PAD HOLDER-14 3 LUG	56505800	2	<input type="checkbox"/>		
	PAD HOLDER-17 3 LUG	56505780	2		<input type="checkbox"/>	