### To make the installation more convenient, kits are designed to fulfill what is needed for a normal house.

<div>The 'All-in-1' boxes from Nilfisk contain everything you need for installation in most houses. But naturally, you can also purchase pipes, elbows and inlets separately.

Nilfisk Supreme All-in<span>-1 is a practical solution and is suitable for most homes. The hose is 9 meters and covers approx. 90 spm<span>. You can choose between a Manual<span>, Wireless + or Deluxe hose. The new and powerfull Nilfisk Supreme gives you constant suction, and with the inovative Deluxe model the control of vacuumcleaning are rigt at the fingertips<span>. For further detail and overview of features see table below.</span></span></span>

Choose from different models of Nilfisk Supreme All-in-1:

#### For houses up to 150 sqm.

Nilfisk Supreme 150 All-in-1 Manual handle Nilfisk Supreme 150 All-in-1 Wireless+ handle Nilfisk Supreme 150 All-in-1 Deluxe handle

#### For houses up to 250 sqm.

Nilfisk Supreme 250 All-in-1 Manual handle Nilfisk Supreme 250 All-in-1 Wireless+ handle Nilfisk Supreme 250 All-in-1 Deluxe handle

#### For houses up to 500 sqm.

Standard equipment

Nilfisk Supreme LCD All-in-1 Wireless+ handle Nilfisk Supreme LCD All-in-1 Deluxe handle </div>



Picture shown may not represent model quoted

	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 150 MAN EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 150 DELUXE EU	
Accessory Kit	Accessory Kit						
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	●	•	
	NILFISK HOSE KIT 9 M MANUAL	42000530	0	•			
2	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0		•		
Accessory	Accessory						
0	FILTER FOR NILFISK	42000400	0	•	•	•	



Standard equipment

	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 MAN EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU
Accessory Kit						
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•
	NILFISK HOSE KIT 9 M MANUAL	42000530	0	•		
	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0		•	
Accessory						
0	FILTER FOR NILFISK	42000400	0	•	•	•

Standard equipment

otandara equipment						
	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME LCD WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU
Accessory Kit						
	3 INLET FITTINGS AND PIPES KIT	42000202	0	●	•	
	NILFISK HOSE KIT 9 M MANUAL	42000530	0			
2	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0	•		
Accessory						
0	FILTER FOR NILFISK	42000400	0	•	•	



• Standard equipment

<ul> <li>Standard equipment</li> </ul>	i de la constante de				
	Included accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU
Accessory Kit	t				
	3 INLET FITTINGS AND PIPES KIT	42000202	0		
	NILFISK HOSE KIT 9 M MANUAL	42000530	0		
	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0		
Accessory					
0	FILTER FOR NILFISK	42000400	0		
Model		NILFISK ALL-IN-1 SUPREME 150 MAN EU	NILFISK SUPRE WIRELE	ME 150 SI	FISK ALL-IN-1 JPREME 150 DELUXE EU
Ref. no.		42000500	4200	0501	42000502
PRODUCT FI	EATURES				
Bag-full indica	ator				•
Cyclone syste	em	•		•	•
Service indica	ator			•	•
Softstart		•	•	•	•
Airflow senso					
Low working		•	•	•	•
Battery level i Variable spee					•
Soft grip		•		•	•
Filter Clean Ir	ndicator				•
Self-cleaning	filter	•			•
Use with or w	ithout bag	•		•	•
Speed indicat	tor				•
Overheat indi	cator				•
Handle out of	reach indicator				•





Model	NILFISK ALL-IN-1 SUPREME 150 MAN EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 150 DELUXE EU
Ref. no.	42000500	42000501	42000502
PRODUCT FEATURES			
Handle w. wireless infocenter			•
Wireless on/off on handle		•	•
On/off on machine	•	•	•
Wireless remote control		•	•
Model	NILFISK ALL-IN-1 SUPREME 250 MAN EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 DELUXE EU
Ref. no.	42000503	42000504	42000505
PRODUCT FEATURES			
Bag-full indicator			•
Cyclone system	•	•	•
Service indicator		•	•
Softstart	•	•	•
Airflow sensor			
Low working sound level	•	•	•
Battery level indicator			•
Variable speed control		•	•
Soft grip	•	•	•
Filter Clean Indicator			•
Self-cleaning filter	•	•	•
Use with or without bag	•	•	•
Speed indicator			•
Overheat indicator			•
Handle out of reach indicator			•
Handle w. wireless infocenter			•
Wireless on/off on handle		•	•
On/off on machine	•	•	•
Wireless remote control		•	•





Model	NILFISK ALL-IN-1 SUPREME LCD WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU
Ref. no.	42000506	42000507	42000514
PRODUCT FEATURES			
Bag-full indicator	•	•	
Cyclone system	•	•	•
Service indicator	•	•	•
Softstart	•	•	•
Airflow sensor	•	•	
Low working sound level	•	•	•
Battery level indicator		•	
Variable speed control	•	•	•
Soft grip	•	•	•
Filter Clean Indicator		•	
Self-cleaning filter	•	•	•
Use with or without bag	•	•	•
Speed indicator	•	•	
Overheat indicator	•	•	
Handle out of reach indicator	•	•	
Handle w. wireless infocenter	•	•	
Wireless on/off on handle	•	•	•
On/off on machine	•	•	•
Wireless remote control	•	•	•
Model		NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU
Ref. no.		42000515	42000516
PRODUCT FEATURES			
Bag-full indicator		•	
Cyclone system		•	•
Service indicator		•	
Softstart		•	•
Airflow sensor			
Low working sound level		•	•
Battery level indicator		•	
Variable speed control		•	
Soft grip		•	•
Filter Clean Indicator		•	





Model		NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU
Ref. no.		42000515	42000516
PRODUCT FEATURES			
Self-cleaning filter		•	•
Use with or without bag		•	•
Speed indicator		•	
Overheat indicator		•	
Handle out of reach indicator		•	
Handle w. wireless infocenter		•	
Wireless on/off on handle		•	
On/off on machine		•	•
Wireless remote control		•	
Technical specifications	NILFISK ALL-IN-1 SUPREME 150 MAN EU	NILFISK ALL-IN-1 SUPREME 150 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 150 DELUXE EU
Rated power (W)	1350	1350	1350
Suction power motor (W)	650	650	650
Airflow (I/sec) measured at central unit	57	57	57
Vacuum (kPa)	30	30	30
Sound level	66	66	66
Container capacity (I)	25	25	25
Dust bag capacity (I)	20	20	20
Width w/handle (cm)	37	37	37
Height (cm)	80	80	80
Weight (kg)	6,5	6,5	6,5
Depth w/bracket (cm)	40	40	40
Fuse circuit (A)	10	10	10
Maximum house size (m <sup>2</sup> )	150	150	150
Longest pipe line (m)	30	30	30
Technical specifications	NILFISK ALL-IN-1 SUPREME 250 MAN EU	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME 250 DELUXE EU
Rated power (W)	1700	1700	1700
Suction power motor (W)	712	712	712
Airflow (I/sec) measured at central unit	58	58	58
Vacuum (kPa)	32	32	32
Sound level	66	66	66
Container capacity (I)	25	25	25



Dust bag capacity (I)         20         20         20           Width w/handle (cm)         37         37         37           Height (cm)         80         80         80         80           Weight (kg)         6.5         6.5         6.5         6.5           Depth w/bracket (cm)         40         40         40         40           Fuse circuit (A)         10 <t< th=""><th>IN-1 50 U</th></t<>	IN-1 50 U
Height (cm)       80       80       80         Weight (kg)       6,5       6,5       6,5         Depth wbracket (cm)       40       40       40         Fuse circuit (A)       10       10       10         Maximum house size (m²)       250       250       250         Longest pipe line (m)       50       50       50         Technical specifications       NILFISK ALL-IN-I SUPREME LCD WIRELESSFED       NILFISK ALL-IN-I SUPREME LCD DELUXE EU       NILFISK ALL-IN-I SUPREME LCD SUPREME LCD SUPREME LCD SUPREME LCD SUPREME LCD SUPREME LCD SUPREME LCD NILFISK ALL-IN-I SUPREME LCD SUPREME	
Weight (kg)         6,5         6,5         6,5         6,5           Depth w/bracket (cm)         40         40         40         40           Fuse circuit (A)         10         10         10         10           Maximum house size (m <sup>2</sup> )         250         250         250         250         250           Longest pipe line (m)         50	
Depth w/bracket (cm)         40         40         40         40           Fuse circuit (A)         10         10         10         10           Maximum house size (m²)         250         250         250         250           Longest pipe line (m)         50         50         50         50           Technical specifications         NILFISK ALL-IN-1 SUPREME LCD WIRELESS+EU         NILFISK ALL-IN-1 SUPREME LCD DELUXE EU         NILFISK ALL-IN-1 SUPREME LC	
Fuse circuit (A)         10         10         10           Maximum house size (m²)         250         250         250         250           Longest pipe line (m)         50         50         50         50           Technical specifications         NLFISK ALL-IN-1 WIRELESS+ED         NLFISK ALL-IN-1 DELUXE EU         NLFISK ALL-IN-1 WIRELESS+ED         NLFISK ALL-IN-1 WIRELESS+ED         NLFISK ALL-IN-1 DELUXE EU         NLFISK ALL-IN-1 WIRELESS+ED         NLFISK ALL-IN-1 NLFISK ALL-IN-1 DELUXE EU         NLFISK ALL-IN-1 NLFISK ALL-IN	
Maximum house size (m²)       250       250       250         Longest pipe line (m)       50       50       50         Technical specifications       NILFISK ALL-IN-I SUPREME LCD WIRELESS+EU       NILFISK ALL-IN-I SUPREME LCD DELUXE EU       NILFISK ALL-IN-I SUPREME LCD NILFISK ALL-IN-I SUPREME LCD N	
Longest pipe line (m)5050Technical specificationsNILFISK ALL-IN-1 SUPREME LCD DELUXE EUNILFISK ALL-IN-1 SUPREME LCD DISUPREME LCDNILFISK ALL-IN-1 SUPREME LCD DELUXE EUNILFISK ALL-IN-1 SUPREME LCD DISUPREME LCDNILFISK ALL-IN-1 SUPREME LCDNILFISK ALL-IN-1 <td></td>	
Technical specificationsNILFISK ALL-IN-1 SUPREME LCD WIRELESS+EUNILFISK ALL-IN-1 SUPREME LCD DELUXE EUNILFISK ALL-IN-1 SUPREME LCD WIRELESS+EURated power (W)170017001350Suction power motor (W)727727650Airflow (I/sec) measured at central unit606057Vacuum (kPa)33333030Sound level66666666Container capacity (I)252525Dust bag capacity (I)20202020Width w/handle (cm)373737Height (cm)80808080	
Technical specificationsSUPREME LCD WIRELESS+EUSUPREME LCD DELUXE EUSUPREME 1 WIRELESS+EURated power (W)170017001350Suction power motor (W)727727650Airflow (I/sec) measured at central unit606057Vacuum (kPa)333330Sound level66666666Container capacity (I)252525Dust bag capacity (I)202020Width w/handle (cm)373737Height (cm)808080	
Suction power motor (W)         727         727         650           Airflow (I/sec) measured at central unit         60         60         57           Vacuum (kPa)         33         33         30           Sound level         66         66         66           Container capacity (I)         25         25         25           Dust bag capacity (I)         20         20         20           Width w/handle (cm)         37         37         37           Height (cm)         80         80         80	50
Airflow (l/sec) measured at central unit       60       60       57         Vacuum (kPa)       33       33       30         Sound level       66       66       66         Container capacity (l)       25       25       25         Dust bag capacity (l)       20       20       20         Width w/handle (cm)       37       37       37         Height (cm)       80       80       80	
Vacuum (kPa)       33       33       30         Sound level       66       66       66         Container capacity (l)       25       25       25         Dust bag capacity (l)       20       20       20         Width w/handle (cm)       37       37       37         Height (cm)       80       80       80	
Sound level         66         66         66           Container capacity (l)         25         25         25           Dust bag capacity (l)         20         20         20           Width w/handle (cm)         37         37         37           Height (cm)         80         80         80	
Container capacity (I)       25       25         Dust bag capacity (I)       20       20         Width w/handle (cm)       37       37         Height (cm)       80       80       80	
Dust bag capacity (I)202020Width w/handle (cm)373737Height (cm)808080	
Width w/handle (cm)         37         37         37           Height (cm)         80         80         80	
Height (cm) 80 80 80	
Weight (kg)         6,5         6,5         6,5	
Depth w/bracket (cm)         40         40         40	
Fuse circuit (A)         10         10         10	
Maximum house size (m²)         500         500         500	
Longest pipe line (m) 70 70 30	
NILFISK ALL-IN-1NILFISK ALL-IN-1NILFISK ALL-IN-1Technical specificationsSUPREME 10WIRELESS+EUDELUXE EUUNICELESS+EUDELUXE EU	CD
Rated power (W) 1700 1700	
Suction power motor (W) 712 727	
Airflow (I/sec) measured at central unit5860	
Vacuum (kPa) 32 33	
Sound level 66 66	
Container capacity (I) 25 25	
Dust bag capacity (I) 20 20	
Width w/handle (cm)3737	

Height (cm)

Weight (kg)

## Nilfisk



80

6,5

80

6,5

Technical specifications	NILFISK ALL-IN-1 SUPREME 250 WIRELESS+EU	NILFISK ALL-IN-1 SUPREME LCD DELUXE EU
Depth w/bracket (cm)	40	40
Fuse circuit (A)	10	10
Maximum house size (m²)	500	500
Longest pipe line (m)	50	70

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Accessories		Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 150 MAN EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 150 DELUXE EU	
Accessory Ki	Accessory Kit						
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•	
	NILFISK HOSE KIT 9 M MANUAL	42000530	0	•	0	0	
	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0	0	•	0	
Accessory							
0	FILTER FOR NILFISK	42000400	0	•	•	•	
-01/	POLYESTER BAG FOR NILFISK CV 3 PCS IN BA	42000317	0	0	0	0	

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 MAN EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU	
Accessory Kit	Accessory Kit						
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•	•	





Accessories		Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 MAN EU	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME 250 DELUXE EU
	NILFISK HOSE KIT 9 M MANUAL	42000530	0	•	0	0
1	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0	0	•	0
Accessory		·				
0	FILTER FOR NILFISK	42000400	0	•	•	•
-01/	POLYESTER BAG FOR NILFISK CV 3 PCS IN BA	42000317	0	0	0	0

ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Accessories		Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME LCD WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU	NILFISK ALL- IN-1 SUPREME 150 WIRELESS+ EU			
Accessory Kit									
	3 INLET FITTINGS AND PIPES KIT	42000202	0	•	•				
	NILFISK HOSE KIT 9 M MANUAL	42000530	0	0	0				
	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0	•	0				
Accessory									
0	FILTER FOR NILFISK	42000400	0	•	•				
-01/	POLYESTER BAG FOR NILFISK CV 3 PCS IN BA	42000317	0	0	0				



ullet Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

Accessories		Ref. no.	Min. required	NILFISK ALL- IN-1 SUPREME 250 WIRELESS+ EU	NILFISK ALL- IN-1 SUPREME LCD DELUXE EU		
Accessory Kit							
	3 INLET FITTINGS AND PIPES KIT	42000202	0				
	NILFISK HOSE KIT 9 M MANUAL	42000530	0				
2	NILFISK HOSE KIT 9 M WIRELESS+	42000531	0				
Accessory							
0	FILTER FOR NILFISK	42000400	0				
-01/	POLYESTER BAG FOR NILFISK CV 3 PCS IN BA	42000317	0				



