

Health and safety as standard with high vacuum in 4 kW

The great suction power of model T40Plus is given by the vacuum it creates: it can collect very heavy materials or wet dust, it is ideal to solve any waste problem that were unsolvable till today. Several versions are available: with M class or with HEPA or ULPA filters for the collection of very fine or hazardous dust, with cartridges filter, with 50 or 100 l container, with solid cut-off system and so on. The ATEX versions are certified for zone 22-21 and 2 in compliance with the 94/9/EC and the 99/92/EC directives.

- L, M, H certified for operators' safety
- ATEX certified for explosion proof environments
- top filtering efficiency
- powerful
- silent
- modular

4,3 kw suction power. It is M and H certified for hazardous dust and ATEX certified for explosion-proof environments. Version T40Plus HE is equipped with an high efficiency motor for low consumption: top power, low consumption

- Standard equipment
- Standard equipment



Picture shown may not represent model quoted

Model	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
Ref. no.	4030800454	4030800455	4030800456

PRODUCT FEATURES

Manual filter shaker	•	•	•
Stainless steel container	•	•	•
H-class hazardous dust approval			
Switch motor protector	•	•	•
Vacuum Meter	•	•	•
HEPA upstream filtration			
100 l. bin	•	•	•
50 l. bin			
L-class hazardous dust approval	•	•	•
5 pin plug		•	
L class AntiStatic filter	•	•	•
M class AntiStatic filter			
Purge jet system			
Kit clapet	•	•	•



Health and safety as standard with high vacuum in 4 kW

Model	T40PLUS L100 LC Z21 5PP
Ref. no.	4030800457

PRODUCT FEATURES

Manual filter shaker	•
Stainless steel container	•
H-class hazardous dust approval	
Switch motor protector	•
Vacuum Meter	•
HEPA upstream filtration	
100 l. bin	•
50 l. bin	
L-class hazardous dust approval	•
5 pin plug	•
L class AntiStatic filter	•
M class AntiStatic filter	
Purge jet system	
Kit clapet	•

Technical specifications	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Protection class (Electrical)	I	I	I
Ip protection class	55	55	65
Rated power (kW)	4,3	4,3	4,3
Airflow with Hose (m ³ /h – l/min)	270 - 4500	270 - 4500	270 - 4500
Airflow without Hose (m ³ /h – l/m)	315 - 5250	315 - 5250	315 - 5250
Vacuum (kPa)	36	36	36
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71	71	71
Container capacity (l)	100	100	100
Main filter area (cm ²)	19.500	19.500	19.500
Inlet (mm)	70	70	70
Length x width x height (mm)	1290x600x1540	1290x600x1540	1290x600x1540
Weight (kg)	162	162	162








Health and safety as standard with high vacuum in 4 kW

Technical specifications

T40PLUS L100 LC
Z21 5PP

Voltage (V)	400
Frequency (Hz)	50
Protection class (Electrical)	I
Ip protection class	65
Rated power (kW)	4,3
Airflow with Hose (m ³ /h – l/min)	270 - 4500
Airflow without Hose (m ³ /h – l/m)	315 - 5250
Vacuum (kPa)	36
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71
Container capacity (l)	100
Main filter area (cm ²)	19.500
Inlet (mm)	70
Length x width x height (mm)	1290x600x1540
Weight (kg)	162

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment













Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
Filter					
KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner					
 ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○	○
 ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○	○
 ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
 ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
 ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○	○	○



Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT3+ SLEEVES38/40	4072200509	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT5+ SLEEVES38/40	4072200510	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○









Health and safety as standard with high vacuum in 4 kW

	Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○


Health and safety as standard with high vacuum in 4 kW

	Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	TIE D40-60	Z8 40040	1	○	○	○
Crevice Nozzle						
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○

Health and safety as standard with high vacuum in 4 kW











Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
Nozzle						
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
Filter				
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○
Hose Vacuum Cleaner				
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○














Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○
	CONDUCTIVE FLEX HOSE D38MT3+SLEEVES38/40	4072200509	1	○
	CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	1	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○
Other				
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○
Accessory Kit				
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○
Vacuum Hose and Connection				
	BENT CONNECTION D40 FE	Z7 21013	1	○











Health and safety as standard with high vacuum in 4 kW

	Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	BENT CONNECTION D40 INOX	Z7 21033	1	○
	BENT CONNECTION D50 FE	Z7 21012	1	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○
	BENT CONNECTION D70 FE	Z7 21032	1	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○



Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○
	REDUCER D70/40 FE	Z7 22002	1	○
	REDUCER D70/40 INOX	Z7 22224	1	○
	REDUCER D70/50 INOX	Z7 22225	1	○
	REDUCER IRON D70/50	Z7 22001	1	○
	TIE D40-60	Z8 40040	1	○
Crevice Nozzle				
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○

Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○
Extension Tube				
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○
Vac Nozzle Wet				

Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○
Nozzle				
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○