

Health and safety as standard with great airflow in 4 kW

Ideal to be used in companies producing high quantities of very fine dust, model T40WPlus is available in several configurations: with M class filter or with HEPA upstream or ULPA downstream absolute filter for the collection of very fine or hazardous dust, with cartridges filter and jet pulse cleaning system, with 50 or 100 liters container, with solid cut-off system and so on. ATEX versions can work in zone 22-21-2 in compliance with directives 94/9/EC and 99/92/EC

- manual or electric filter shaker version
- jet pulse cartridge filter cleaning system version
- vacuumeter
- L and H class versions
- ATEX version for zone 22-21 and 2
- plug with inverter

T40W generates a great airflow and is the ideal tool to collect high quantities of very fine dust. The M and H class filters grant a safe dust containment. The ATEX certification allows to work safely in explosion- proof areas.

- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment

Model	T40WPLUS L100 LC Z22	T40WPLUS L100 LC Z22 5PP	T40WPLUS L100 LC Z22 AD C
Ref. no.	4030800418	4030800419	4030800420

PRODUCT FEATURES

Stainless steel container	•	•	•
M-class hazardous dust approval			
Switch motor protector	•	•	
Vacuum Meter	•	•	•
Manual filter shaker	•	•	
HEPA upstream filtration			
100 l. bin	•	•	•
Downstream ULPA filtration			•
50 l. bin			
L-class hazardous dust approval	•	•	•
5 pin plug		•	
L class AntiStatic filter	•	•	
M class AntiStatic filter			•
Purge jet system			•
Kit clapet	•	•	



Health and safety as standard with great airflow in 4 kW

Model	T40WPLUS L100 LC Z22 AD C 5PP	T40WPLUS L100 LC Z22 AU FM	T40WPLUS L100 LC Z22 AU FM 5PP
Ref. no.	4030800421	4030800422	4030800423

PRODUCT FEATURES

Stainless steel container	•	•	•
M-class hazardous dust approval			
Switch motor protector		•	•
Vacuum Meter	•	•	•
Manual filter shaker		•	•
HEPA upstream filtration		•	•
100 l. bin	•	•	•
Downstream ULPA filtration	•		
50 l. bin			
L-class hazardous dust approval	•	•	•
5 pin plug	•		•
L class AntiStatic filter			
M class AntiStatic filter	•	•	•
Purge jet system	•		
Kit clapet		•	•

Model	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
Ref. no.	4030800424	4030800425	4030800426

PRODUCT FEATURES

Stainless steel container	•	•	•
M-class hazardous dust approval	•	•	
Switch motor protector	•	•	
Vacuum Meter	•	•	•
Manual filter shaker	•	•	
HEPA upstream filtration			
100 l. bin			
Downstream ULPA filtration			
50 l. bin	•	•	•
L-class hazardous dust approval			•
5 pin plug		•	
L class AntiStatic filter			
M class AntiStatic filter	•	•	•
Purge jet system			•
Kit clapet	•	•	



Health and safety as standard with great airflow in 4 kW

Model	T40WPLUS L50 LC Z22 C 5PP	T40WPLUS L100 LC Z21	T40WPLUS L100 LC Z21 5PP
Ref. no.	4030800427	4030800428	4030800429

PRODUCT FEATURES

Stainless steel container	•	•	•
M-class hazardous dust approval			
Switch motor protector		•	•
Vacuum Meter	•	•	•
Manual filter shaker		•	•
HEPA upstream filtration			
100 l. bin		•	•
Downstream ULPA filtration			
50 l. bin	•		
L-class hazardous dust approval	•	•	•
5 pin plug	•		•
L class AntiStatic filter		•	•
M class AntiStatic filter	•		
Purge jet system	•		
Kit clapet		•	•

Model	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
Ref. no.	4030800430	4030800435

PRODUCT FEATURES

Stainless steel container		•	•
M-class hazardous dust approval			
Switch motor protector		•	•
Vacuum Meter		•	•
Manual filter shaker		•	•
HEPA upstream filtration			
100 l. bin		•	•
Downstream ULPA filtration		•	
50 l. bin			
L-class hazardous dust approval		•	•
5 pin plug			•
L class AntiStatic filter			•
M class AntiStatic filter		•	
Purge jet system			
Kit clapet		•	•



Health and safety as standard with great airflow in 4 kW

Technical specifications	T40WPLUS L100 LC Z22	T40WPLUS L100 LC Z22 5PP	T40WPLUS L100 LC Z22 AD C
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Protection class (Electrical)	I	I	I
Ip protection class	55	55	55
Rated power (kW)	4	4	4
Airflow with Hose (m ³ /h – l/min)	420 - 7000	420 - 7000	420 - 7000
Airflow without Hose (m ³ /h – l/m)	489 - 8150	489 - 8150	489 - 8150
Vacuum max (kPa)	29	29	29
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71	71	71
Container capacity (l)	100	100	100
Main filter area (cm ²)	35.000	35.000	35.000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290 x 600 x 1640	1290 x 600 x 1640	1290 x 600 x 1640

Technical specifications	T40WPLUS L100 LC Z22 AD C 5PP	T40WPLUS L100 LC Z22 AU FM	T40WPLUS L100 LC Z22 AU FM 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Protection class (Electrical)	I	I	I
Ip protection class	55	55	55
Rated power (kW)	4	4	4
Airflow with Hose (m ³ /h – l/min)	420 - 7000	420 - 7000	420 - 7000
Airflow without Hose (m ³ /h – l/m)	489 - 8150	489 - 8150	489 - 8150
Vacuum max (kPa)	29	29	29
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71	71	71
Container capacity (l)	100	100	100
Main filter area (cm ²)	35.000	35.000	35.000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290 x 600 x 1640	1290 x 600 x 1640	1290 x 600 x 1640

Technical specifications	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Protection class (Electrical)	I	I	I
Ip protection class	55	55	55
Rated power (kW)	4	4	4
Airflow with Hose (m ³ /h – l/min)	420 - 7000	420 - 7000	420 - 7000
Airflow without Hose (m ³ /h – l/m)	489 - 8150	489 - 8150	489 - 8150



Health and safety as standard with great airflow in 4 kW

Technical specifications	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
Vacuum max (kPa)	29	29	29
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71	71	71
Container capacity (l)	50	50	50
Main filter area (cm ²)	35.000	35.000	35.000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290 x 600 x 1640	1290 x 600 x 1640	1290 x 600 x 1640













Technical specifications	T40WPLUS L50 LC Z22 C 5PP	T40WPLUS L100 LC Z21	T40WPLUS L100 LC Z21 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Protection class (Electrical)	I	I	I
Ip protection class	55	65	65
Rated power (kW)	4	7,5	7,5
Airflow with Hose (m ³ /h – l/min)	420 - 7000	420 - 7000	420 - 7000
Airflow without Hose (m ³ /h – l/m)	489 - 8150	489 - 8150	489 - 8150
Vacuum max (kPa)	29	29	29
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71	71	71
Container capacity (l)	50	100	100
Main filter area (cm ²)	35.000	35.000	35.000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290 x 600 x 1640	1290 x 600 x 1640	1290 x 600 x 1640

Technical specifications	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
Voltage (V)	400	400
Frequency (Hz)	50	50
Protection class (Electrical)	I	I
Ip protection class	65	55
Rated power (kW)	7,5	7,5
Airflow with Hose (m ³ /h – l/min)	420 - 7000	420 - 7000
Airflow without Hose (m ³ /h – l/m)	489 - 8150	489 - 8150
Vacuum max (kPa)	29	29
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71	71
Container capacity (l)	100	100
Main filter area (cm ²)	35.000	35.000
Inlet (mm)	70	70
Length x width x height (mm)	1290 x 600 x 1640	1290 x 600 x 1640













Health and safety as standard with great airflow in 4 kW












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22	T40WPLUS L100 LC Z22 5PP	T40WPLUS L100 LC Z22 AD C
Filter					
 KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner					
 ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○	○
 ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○	○
 ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
 ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
 ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○	○	○
 ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○	○	○
 CONDUCTIVE FLEX HOSE D38MT3+SLEEVES38/40	4072200509	1	○	○	○
 CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	1	○	○	○
 FLEX CONDUCTIVE HOSE D50 MT3+SLEEVES	Z7 22375	1	○	○	○
Other					
 DOWNSTREAM ULPA FILTER KIT	4089100100	1	○	○	○
 HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22	T40WPLUS L100 LC Z22 5PP	T40WPLUS L100 LC Z22 AD C
Accessory Kit						
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○





Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22	T40WPLUS L100 LC Z22 5PP	T40WPLUS L100 LC Z22 AD C
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
Crevice Nozzle						
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○






Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22	T40WPLUS L100 LC Z22 5PP	T40WPLUS L100 LC Z22 AD C
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22	T40WPLUS L100 LC Z22 5PP	T40WPLUS L100 LC Z22 AD C
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
Nozzle						
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment













Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 AD C 5PP	T40WPLUS L100 LC Z22 AU FM	T40WPLUS L100 LC Z22 AU FM 5PP
Filter						
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner						
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○	○
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○	○	○




Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 AD C 5PP	T40WPLUS L100 LC Z22 AU FM	T40WPLUS L100 LC Z22 AU FM 5PP
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT3+ SLEEVES38/40	4072200509	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT5+ SLEEVES38/40	4072200510	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○









Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 AD C 5PP	T40WPLUS L100 LC Z22 AU FM	T40WPLUS L100 LC Z22 AU FM 5PP
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○


Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 AD C 5PP	T40WPLUS L100 LC Z22 AU FM	T40WPLUS L100 LC Z22 AU FM 5PP
	TIE D40-60	Z8 40040	1	○	○	○
Crevice Nozzle						
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○

Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 AD C 5PP	T40WPLUS L100 LC Z22 AU FM	T40WPLUS L100 LC Z22 AU FM 5PP
 EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
 EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
 EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
 EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
 HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
 HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet					
 LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
 LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
Nozzle					
PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment




Accessories	Ref. no.	Min. required	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
Filter					
KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner					
 ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○	○














Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○	○	○
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT3+ SLEEVES38/40	4072200509	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT5+ SLEEVES38/40	4072200510	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○








Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○



Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
Crevice Nozzle						
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○








Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 MC Z22	T40WPLUS L50 MC Z22 5PP	T40WPLUS L50 LC Z22 C
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
Nozzle						
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 C 5PP	T40WPLUS L100 LC Z21	T40WPLUS L100 LC Z21 5PP
Filter						
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner						
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○	○
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○	○	○
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT3+ SLEEVES38/40	4072200509	1	○	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 C 5PP	T40WPLUS L100 LC Z21	T40WPLUS L100 LC Z21 5PP
	CONDUCTIVE FLEX HOSE D38MT5+ SLEEVES38/40	4072200510	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○








Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 LC Z22 C 5PP	T40WPLUS L100 LC Z21	T40WPLUS L100 LC Z21 5PP
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
Crevice Nozzle						



Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 LC Z22 C 5PP	T40WPLUS L100 LC Z21	T40WPLUS L100 LC Z21 5PP
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○

Health and safety as standard with great airflow in 4 kW











Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 C 5PP	T40WPLUS L100 LC Z21	T40WPLUS L100 LC Z21 5PP
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
Vac Nozzle Wet						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
Nozzle						
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
Filter					
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○
Hose Vacuum Cleaner					
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○














Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	<input type="radio"/>	<input type="radio"/>
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	<input type="radio"/>	<input type="radio"/>
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	<input type="radio"/>	<input type="radio"/>
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	<input type="radio"/>	<input type="radio"/>
	CONDUCTIVE FLEX HOSE D38MT3+SLEEVES38/40	4072200509	1	<input type="radio"/>	<input type="radio"/>
	CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	1	<input type="radio"/>	<input type="radio"/>
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	<input type="radio"/>	<input type="radio"/>
Other					
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	<input type="radio"/>	<input type="radio"/>
	HARMONIC SPRINGPIN LINK	Z7 20328	1	<input type="radio"/>	<input type="radio"/>
Accessory Kit					
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	<input type="radio"/>	<input type="radio"/>
Vacuum Hose and Connection					
	BENT CONNECTION D40 FE	Z7 21013	1	<input type="radio"/>	<input type="radio"/>
	BENT CONNECTION D40 INOX	Z7 21033	1	<input type="radio"/>	<input type="radio"/>












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
	BENT CONNECTION D50 FE	Z7 21012	1	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
	REDUCER D70/40 FE	Z7 22002	1	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○
	TIE D40-60	Z8 40040	1	○	○
Crevice Nozzle					
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○
Extension Tube					
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○
Vac Nozzle Wet					
	LIQ. SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z21 AD FM	T40WPLUS L100 LC Z2 5PP
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○
Nozzle					
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○