

Play 35 l/sec compressed air and play safety

Model A15 is an extremely efficient industrial vacuum demanding very low compressed air consumption to work. Equipped with a Venturi system, it can collect either wet and dry material and is the right industrial vacuum to operate wherever electricity is not available or forbidden. Stainless steel version and/or ATEX certified explosion-proof version (for zone Gas 1 and 2 and zone Dust 21 and 22).

- Small
- Light
- Silent
- Low consumption
- Explosion-proof version (ATEX) HEPA absolute filter for fine or toxic dust
- Stainless steel version

Light and performant compressed air industrial vacuum.



Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	A15	A15 AU	A15 AU XX
<b>Bag</b>					
DUST SAFE BAG SYSTEM D.3-460 ANTISTATIC	Z8 40874	1			

• Standard equipment

Included accessories	Ref. no.	Min. required	A15 X	A15 XX
<b>Bag</b>				
DUST SAFE BAG SYSTEM D.3-460 ANTISTATIC	Z8 40874	1		

Model	A15	A15 AU	A15 AU XX
Ref. no.	4061300001	4061300004	4061300006

PRODUCT FEATURES

Stainless steel filter chamber			•
Stainless steel dust container			•
Manual filter shaker	•	•	•
HEPA upstream filtration		•	•
Double venturi system			
Fully in stainless steel			



## Play 35 l/sec compressed air and play safety

Model	A15 X	A15 XX
Ref. no.	4061300011	4061300013

## PRODUCT FEATURES

Stainless steel filter chamber		•
Stainless steel dust container	•	•
Manual filter shaker	•	•
HEPA upstream filtration		
Double venturi system		
Fully in stainless steel		

Technical specifications	A15	A15 AU	A15 AU XX
Vacuum max (kPa at 6 bar of pressure)	35,8	35,8	35,8
Vacuum tube length (mm)	6000	6000	6000
Air consumption (nl/min, at 6 bar of pressure)	1580	1580	1580
Airflow with hose (l/sec at 6 bar of pressure)	35	35	35
Sound pressure level at 1.5 m (dB(A) ISO 3744)	72	72	72
Container capacity (l)	25	25	25
Dust bag capacity (l)	18	18	18
Main filter type	L CLASS	L CLASS	L CLASS
Main filter area (cm <sup>2</sup> )	7000	7000	7000
Upstream HEPA filter H14 (cm <sup>2</sup> )	-	11000	11000
Vacuum tube diameter (mm)	13	13	13
Inlet (mm)	50	50	50
Required pressure (bar)	4/6	4/6	4/6
Length x width x height (cm)	51X51X101	51X51X101	51X51X101
Weight (kg)	24	24	
Vacuum gauge (filter surveillance)	NO	NO	NO









Technical specifications	A15 X	A15 XX
Vacuum max (kPa at 6 bar of pressure)	35,8	35,8
Vacuum tube length (mm)	6000	6000
Air consumption (nl/min, at 6 bar of pressure)	1580	1580
Airflow with hose (l/sec at 6 bar of pressure)	35	35
Sound pressure level at 1.5 m (dB(A) ISO 3744)	72	72
Container capacity (l)	25	25
Dust bag capacity (l)	18	18
Main filter type	L CLASS	L CLASS
Main filter area (cm <sup>2</sup> )	7000	7000













## Play 35 l/sec compressed air and play safety

Technical specifications	A15 X	A15 XX
Upstream HEPA filter H14 (cm <sup>2</sup> )	-	-
Vacuum tube diameter (mm)	13	13
Inlet (mm)	50	50
Required pressure (bar)	4/6	4/6
Length x width x height (cm)	51X51X101	51X51X101
Weight (kg)		
Vacuum gauge (filter surveillance)	NO	NO

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	A15	A15 AU	A15 AU XX
<b>Hose Vacuum Cleaner</b>					
	38MM ANTI STATIC CUFF	Z7 20324	1	○	○
	50MM ANTI STATIC CUFF	Z7 20325	2	○	○
	HOSED40 POLYURETHAN MT3+SLEEVE	Z7 22297	1	○	○
	SLEEVE D40 RUBBER	Z7 20001	1	○	○
	SLEEVE D40ANTISTAT.RUBBER COMPONENT ATEX	40000212	1	○	○
	SYLICONE HOSE D40 /METER	Z7 24189	1	○	○
	TUBE D40 AIR MT.3 + SLEEVES COMP.WITH	Z7 22049	1	○	○
<b>Cone Nozzle</b>					
	CONIC END D40/50/20 COMPLETE	Z7 22142	1	○	○

## Play 35 l/sec compressed air and play safety








Accessories		Ref. no.	Min. required	A15	A15 AU	A15 AU XX
	CONIC TUBE D40 ANTISTATIC COMPONENT ATEX	40000214	1	○	○	○
	CONIC TUBE D40 RUBBER	Z7 21011	1	○	○	○
	CONIC TUBE D40 SYLICONE	Z7 21086	1	○	○	○
	CONIC TUBE D50 ANTISTATIC COMPONENT ATEX	40000221	1	○	○	○
<b>Extension Tube</b>						
	HANDGRIP D40 ALUMINIUM COMPLETE	Z7 22026	1	○	○	○
	HANDGRIP D40 INOX COMPLETE	40000215	1	○	○	○
	HANDGRIP D50 INOX COMPLETE	40000222	1	○	○	○
<b>Flexible Nozzle (IVT)</b>						
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	1	○	○	○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	1	○	○	○
	FLEXIBLE NOZZLE 240MM D32MM SI AUTOCLAVE	81141103	1	○	○	○
<b>Bag</b>						
	DUST BAG GS81 - 5PCS	81585000	1	○	○	○
	DUST SAFE BAG SYSTEM D.3-460 ANTISTATIC	Z8 40874	1	○	○	○
<b>Accessory Kit</b>						
	KIT SUCTION ARM 3156 FE COMPLETE	Z5 60256	1	○	○	○






## Play 35 l/sec compressed air and play safety

Accessories		Ref. no.	Min. required	A15	A15 AU	A15 AU XX
	SET OF ACC ATEX D40 FLOOR	Z7 24186	1	○	○	○
	SET OF ACC ATEX D40 MACHINES FLOOR	Z7 24185	1	○	○	○
	SET OF ACC D40 MACHINES	Z7 24187	1	○	○	○
	SET OF ACC D50 MACHINES.FLOOR ATEX	Z7 24182	1	○	○	○
<b>Option</b>						
	KIT CONT. PAPER BAG M.118 FE	Z5 60327	1	○	○	○
	KIT INLET X PAPER BAG D.50 COMP.WITH	Z5 60349	1	○	○	○
<b>Vacuum Hose and Connection</b>						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION TUBE D40 FE	Z7 21005	1	○	○	○
	CONNECTION TUBE D40 INOX	Z7 22229	1	○	○	○





## Play 35 l/sec compressed air and play safety

Accessories		Ref. no.	Min. required	A15	A15 AU	A15 AU XX
	CONNECTION TUBE D50 INOX	Z7 22230	1	○	○	○
	REDUCER D40/32 INOX	Z7 22347	1	○	○	○
	REDUCER D50/40 FE	Z7 22000	1	○	○	○
	REDUCER D50/40 INOX	Z7 22223	1	○	○	○
	WYE D50/40/40 INOX	Z7 22261	1	○	○	○
	WYE D50/40/40 ZINC PLT.	Z7 22060	1	○	○	○
	WYE+REG.D50/40/40 FE COMPLETE	Z7 22057	1	○	○	○
<b>Crevice Nozzle</b>						
	FLAT LANCE D40 MM500 PVC	Z7 24014	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	SUCKER mm120 ANTISTAT. RUBBER COMPONENT	Z7 21080	1	○	○	○
<b>Vac Nozzle Dry</b>						
	BRUSH D40 MM400 90 COMPLETE	Z7 22044	1	○	○	○












## Play 35 l/sec compressed air and play safety

Accessories		Ref. no.	Min. required	A15	A15 AU	A15 AU XX
	MOBILE SUCKER D40 MM400 FE COMPLETE	Z7 22030	1	○	○	○
<b>Round Brush Nozzle</b>						
	BRUSH SPARE PART NYLON D.80	Z8 23005	1	○	○	○
	PAINTBRUSH D40/80 BRISTLES COMPLETE	Z7 22045	1	○	○	○
	PAINTBRUSH D40/100 STEEL COMPLETE	Z7 22046	1	○	○	○
<b>Filter</b>						
	STAR FILTER 360 ANTIST M COMPONENT ATEX	Z8 17508	0	○	○	○
	STAR FILTER 360 M	Z8 17244	1	○	○	○
	STAR FILTER 360 M BIG SIZE	Z8 17244 1	0	○	○	○
	STAR FILTER 360 NOMEX	Z8 17146	1	○	○	○
	STAR FILTER 360 PTFE M	Z8 17501	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment










Accessories		Ref. no.	Min. required	A15 X	A15 XX
<b>Hose Vacuum Cleaner</b>					
	38MM ANTI STATIC CUFF	Z7 20324	1	○	○
	50MM ANTI STATIC CUFF	Z7 20325	2	○	○
	HOSED40 POLYURETHAN MT3+SLEEVE	Z7 22297	1	○	○
	SLEEVE D40 RUBBER	Z7 20001	1	○	○
	SLEEVE D40ANTISTAT.RUBBER COMPONENT ATEX	40000212	1	○	○

## Play 35 l/sec compressed air and play safety













Accessories		Ref. no.	Min. required	A15 X	A15 XX
	SYLICONE HOSE D40 /METER	Z7 24189	1	○	○
	TUBE D40 AIR MT.3 + SLEEVES COMP.WITH	Z7 22049	1	○	○
<b>Cone Nozzle</b>					
	CONIC END D40/50/20 COMPLETE	Z7 22142	1	○	○
	CONIC TUBE D40 ANTISTATIC COMPONENT ATEX	40000214	1	○	○
	CONIC TUBE D40 RUBBER	Z7 21011	1	○	○
	CONIC TUBE D40 SYLICONE	Z7 21086	1	○	○
	CONIC TUBE D50 ANTISTATIC COMPONENT ATEX	40000221	1	○	○
<b>Extension Tube</b>					
	HANDGRIP D40 ALUMINIUM COMPLETE	Z7 22026	1	○	○
	HANDGRIP D40 INOX COMPLETE	40000215	1	○	○
	HANDGRIP D50 INOX COMPLETE	40000222	1	○	○
<b>Flexible Nozzle (IVT)</b>					
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	1	○	○









## Play 35 l/sec compressed air and play safety

Accessories		Ref. no.	Min. required	A15 X	A15 XX
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	1	○	○
	FLEXIBLE NOZZLE 240MM D32MM SI AUTOCLAVE	81141103	1	○	○
<b>Bag</b>					
	DUST BAG GS81 - 5PCS	81585000	1	○	○
	DUST SAFE BAG SYSTEM D.3-460 ANTISTATIC	Z8 40874	1	○	○
<b>Accessory Kit</b>					
	KIT SUCTION ARM 3156 FE COMPLETE	Z5 60256	1	○	○
	SET OF ACC ATEX D40 FLOOR	Z7 24186	1	○	○
	SET OF ACC ATEX D40 MACHINES FLOOR	Z7 24185	1	○	○
	SET OF ACC D40 MACHINES	Z7 24187	1	○	○
	SET OF ACC D50 MACHINES.FLOOR ATEX	Z7 24182	1	○	○
<b>Option</b>					
	KIT CONT. PAPER BAG M.118 FE	Z5 60327	1	○	○
	KIT INLET X PAPER BAG D.50 COMP.WITH	Z5 60349	1	○	○
<b>Vacuum Hose and Connection</b>					
	BENT CONNECTION D40 FE	Z7 21013	1	○	○
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○

## Play 35 l/sec compressed air and play safety

Accessories		Ref. no.	Min. required	A15 X	A15 XX
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○
	CONNECTION TUBE D40 FE	Z7 21005	1	○	○
	CONNECTION TUBE D40 INOX	Z7 22229	1	○	○
	CONNECTION TUBE D50 INOX	Z7 22230	1	○	○
	REDUCER D40/32 INOX	Z7 22347	1	○	○
	REDUCER D50/40 FE	Z7 22000	1	○	○
	REDUCER D50/40 INOX	Z7 22223	1	○	○
	WYE D50/40/40 INOX	Z7 22261	1	○	○
	WYE D50/40/40 ZINC PLT.	Z7 22060	1	○	○
	WYE+REG.D50/40/40 FE COMPLETE	Z7 22057	1	○	○
<b>Crevice Nozzle</b>					
	FLAT LANCE D40 MM500 PVC	Z7 24014	1	○	○

## Play 35 l/sec compressed air and play safety

Accessories		Ref. no.	Min. required	A15 X	A15 XX
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○
	SUCKER mm120ANTISTAT.RUBBER COMPONENT	Z7 21080	1	○	○
<b>Vac Nozzle Dry</b>					
	BRUSH D40 MM400 90 COMPLETE	Z7 22044	1	○	○
	MOBILE SUCKER D40 MM400 FE COMPLETE	Z7 22030	1	○	○
<b>Round Brush Nozzle</b>					
	BRUSH SPARE PART NYLON D.80	Z8 23005	1	○	○
	PAINTBRUSH D40/80 BRISTLES COMPLETE	Z7 22045	1	○	○
	PAINTBRUSH D40/100 STEEL COMPLETE	Z7 22046	1	○	○
<b>Filter</b>					
	STAR FILTER 360 ANTIST M COMPONENT ATEX	Z8 17508	0	○	○
	STAR FILTER 360 M	Z8 17244	1	○	○
	STAR FILTER 360 M BIG SIZE	Z8 17244 1	0	○	○
	STAR FILTER 360 NOMEX	Z8 17146	1	○	○
	STAR FILTER 360 PTFE M	Z8 17501	1	○	○