

The fastest way to collect trims in 4 kW

Model 3507W R is equipped with a 4 kW threephase motor. It mounts a nylon filter, however specific filters for dust extraction are available. The threephase suction unit is placed under the container, the liner is spread out and completely open and all product vacuumed in is neatly compacted on the bottom, optimizing the container capacity. Stainless steel version.

- High power
- High container capacity
- Quick visual level control: plexiglass port-hole in the lid
- Silent
- No maintenance needed
- Ideal to be integrated into packaging machines

Industrial vacuum for the collection of plastic, paper or textile trims. Its suction power, its features and its size make it the right vacuum to operate in packaging areas.



Picture shown may not represent model quoted

• Standard equipment

Model	3507W R 5PP	3507W R Z22 5PP	3507W R ID100
Ref. no.	4030900029	4030900048	4030900038

PRODUCT FEATURES

Stainless steel frame			
Filter bag	•	•	•
Stainless steel filter chamber			
Switch motor protector	•	•	•
Earth connection		•	
Relief valve		•	
5 pin plug	•	•	
Conductive wheels		•	
Clapet valve		•	
Inspection window	•	•	•
Silencer	•	•	•









Technical specifications	3507W R 5PP	3507W R Z22 5PP	3507W R ID100
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Ip protection class	55	55	55
Insulation class	F	F	F
Rated power (W)	4000	4000	4000



The fastest way to collect trims in 4 kW

Technical specifications	3507W R 5PP	3507W R Z22 5PP	3507W R ID100
Airflow without hose (l/sec)	143	143	143
Vacuum max (kPa)	30	30	30
Sound pressure level at 1.5 m (dB(A) ISO 3744)	74	74	74
Container capacity (l)	215	215	215
Main filter type	POLYESTER MOD. R560	POLYESTER MOD. R560	POLYESTER MOD. R560
Main filter area (cm ²)	19.400	19.400	19.400
Inlet (mm)	70	70	70
Length x width x height (cm)	120 x 70 x 140	120 x 70 x 140	120 x 70 x 140
Weight (kg)	155	155	155

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories		Ref. no.	Min. required	3507W R 5PP	3507W R Z22 5PP	3507W R ID100
Hose Vacuum Cleaner						
	50MM ANTI STATIC CUFF	Z7 20325	0	○	○	○
	AIR HOSE D70 MT15+SLEEVES	4072200473	0	○	○	○
	AIR HOSE D70MT5+SLEEVES	Z7 22364	0	○	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	0	○	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	0	○	○	○
	ANT.POL BLACK HOSE D50 MT15+SLEEVES	4072200478	0	○	○	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	0	○	○	○
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	0	○	○	○



The fastest way to collect trims in 4 kW

Accessories	Ref. no.	Min. required	3507W R 5PP	3507W R Z22 5PP	3507W R ID100
 ANT.POL BLACK HOSE D70 MT15+SLEEVES	4072200479	0	○	○	○
 FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	0	○	○	○
 FLEX CONDUCTIVE HOSE D50 MT5+ SLEEVES	Z7 22377	0	○	○	○
 FLEX CONDUCTIVE HOSE D50 MT15+ SLEEVES	4072200481	0	○	○	○
 FLOWING PTFE SLEEVE D50	Z7 20326	0	○	○	○
 HANK AIR HOSE D70 L.50MT	4072400229	0	○	○	○
 HANK CONDUCTIVE FLEX HOSE D50 MT.30	4072400234	0	○	○	○
 POL HOSE D50 MT5+SLEEVES	Z7 22366	0	○	○	○
 POL HOSE D50 MT15+SLEEVES	4072200475	0	○	○	○
 POL HOSE D70 MT5+SLEEVES	Z7 22367	0	○	○	○
 POL HOSE D70 MT15+SLEEVES	4072200476	0	○	○	○
 SLEEVE D50 PVC	Z7 23023	0	○	○	○

The fastest way to collect trims in 4 kW

Accessories	Ref. no.	Min. required	3507W R 5PP	3507W R Z22 5PP	3507W R ID100
 SLEEVE D50 RUBBER	Z7 20002	0	○	○	○
 SLEEVE D50ANTISTAT.RUBBER COMPONENT ATEX	40000219	0	○	○	○
 SLEEVE D70 RUBBER	Z7 20003	0	○	○	○
 SLEEVE D70ANTISTAT.RUBBER COMPONENT ATEX	Z7 20310	0	○	○	○
 TUBE D50 ATOXIC ANTISTATIC IN METERS	Z7 24029	0	○	○	○
 TUBE D50 POLYURETHAN MT3+SLEEV	Z7 22298	0	○	○	○
 TUBE D70 AIR MT3 + SLEEVES	Z7 22063	0	○	○	○
 TUBE D70 ATOXIC ANTISTATIC IN METERS	Z7 24030	0	○	○	○
 TUBE D70 POLYURETHAN MT3+SLEEV	Z7 22299	0	○	○	○
 TUBE POLYURETHAN D100 IN METER IN METERS	Z7 24113	0	○	○	○