

When a singlephase is ATEX certified

Model 15ATEX can work in zone 22 ATEX. It is small but with high quality features such as the L class antistatic filter and the stainless steel container. HEPA absolute filter for the collection of toxic material or nomex filter for hot material available. Endless safety and efficiency.

- High safety levels
- ATEX certified
- HEPA absolute filter
- M class filter available
- Stainless steel container

Singlephase Explosion-proof industrial vacuum (ATEX certified).



Picture shown may not represent model quoted

• Standard equipment

Model	15ATEX Z22 M	15ATEX Z22 M AU
Ref. no.	4010100046	4010100050

PRODUCT FEATURES

Manual filter shaker	•	•
Stainless steel container	•	•
ATEX hazardous TYPE 22 approval	•	•
HEPA upstream filtration		•
M class filter	•	•
Stainless steel container & filter chamber		
Low pressure indicator	•	•
Safe bag system		
Fully in stainless steel		
Plastic Bag System		








Technical specifications	15ATEX Z22 M	15ATEX Z22 M AU
Sound pressure level (dB(A))	68	68
Voltage (V)	230	230
Frequency (Hz)	50	50
Ip protection class	55	55
Insulation class	F	F
Rated power (kW)	1,1	1,1



When a singlephase is ATEX certified











Technical specifications	15ATEX Z22 M	15ATEX Z22 M AU
Airflow without Hose (m ³ /h – l/m)	138 - 2.300	138 - 2.300
Vacuum max (kPa)	21,5	21,5
Container capacity (l)	25	25
Dust bag capacity (l)	18	18
Main filter type	ANTISTATIC L CLASS POLYESTER	ANTISTATIC L CLASS POLYESTER
Main filter area (cm ²)	8.000	8.000
Inlet (mm)	40	40
Length x width x height (cm)	50x57x112	50x57x112
Weight (kg)	44	44

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment








Accessories	Ref. no.	Min. required	15ATEX Z22 M	15ATEX Z22 M AU	
Extension Tube					
	ALUM.EXTENSION D40 MT1 INLET PIN M/F	Z7 22386	1	○	○
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○
	FLAT LANCE D40 INOX	40000213	1	○	○
	HANDGRIP D40 INOX COMPLETE	40000215	1	○	○
Cone Nozzle					



When a singlephase is ATEX certified

Accessories		Ref. no.	Min. required	15ATEX Z22 M	15ATEX Z22 M AU
	CONIC TUBE D40 ANTISTATIC COMPONENT ATEX	40000214	1	○	○
Vac Nozzle Dry					
	MOBILE SUCKER D40 MM400 INOX COMPLETE	40000216	1	○	○
Hose Vacuum Cleaner					
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○
	CONDUCTIVE FLEX HOSE D38MT3+SLEEVES38/40	4072200509	1	○	○
	CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	1	○	○
Option					
	KIT SAFE BAG SYSTEM 15 ATEX INOX 430	Z5 60363	1	○	○
Other					
	SS INLET KIT FOR PAPER BAG D50 WITH	Z5 60373	1	○	○
Vacuum Hose and Connection					
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○
	REDUCER D50/40 INOX	Z7 22223	1	○	○
	TIE D40-60	Z8 40040	1	○	○

When a singlephase is ATEX certified

Accessories		Ref. no.	Min. required	15ATEX Z22 M	15ATEX Z22 M AU
Crevice Nozzle					
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○
	SUCKER mm120ANTISTAT.RUBBER COMPONENT	Z7 21080	1	○	○
Vac Nozzle Wet					
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○
Accessory Kit					
	15ATEX ACCESSORIES KIT	Z7 24175	1	○	○
	SET OF ACC ATEX D40 FLOOR	Z7 24186	1	○	○
	SET OF ACC ATEX D40 MACHINES FLOOR	Z7 24185	1	○	○
	SET OF ACC D40 MACHINES	Z7 24187	1	○	○
Bag					
	DUST SAFE BAG SYSTEM D.3-460 ANTISTATIC	Z8 40874	1	○	○