

Rugged construction for any cleaning job securing you maximum performance

GM80P is light in weight, but heavy-duty performer. Mounted on a strong steel trolley with large rubber wheel, the machine is easy to manoeuvre. Ideal for e.g. production lines, chemi/pharma industries, hospitals and offices.






- Hepa or Ulpa absolute filter version
- Silent
- 10 meters cable
- 9 liters container capacity
- Light, only 5 kg

Vacuum cleaner for users needing great suction power and ease of use. That is Nilfisk-CFM GM80!



Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
<b>Hose Vacuum Cleaner</b>					
 HOSE 38/32MM 2M PLAST BENT END	12041500	0			
 HOSE 38/32MM 2M RUBBER	11717000	1			
 HOSE 38/32MM 2M STEEL BENT END	12097500	1		•	•
 HOSE CPL	22301500	0	•		
<b>Round Brush Nozzle</b>					
BRUSH NOZZLE	11276902	1			
ROUND BRUSH BLACK KING	22352000	0	•		
<b>Upholstery Nozzle</b>					
 UPHOLSTERY NOZZLE D32 BLACK	22351900	0	•		











## Rugged construction for any cleaning job securing you maximum performance







Included accessories	Ref. no.	Min. required	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
<b>Cone Nozzle</b>					
 CREVICE NOZZLE KIT	81140900	0			
<b>Crevice Nozzle</b>					
CREVICE NOZZLE BLACK	22302100	0	•		
<b>Combination Nozzle</b>					
 COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
 COMBO-FL. NOZZ. GREY 270MM	11980300	0			
 NOZZLE COMBI DELUXE	22359800	0	•		
<b>Filter</b>					
DIFFUSER FILTERS 2 PCS	11693700	2			
 FILTER COTTON GS/GM 80	61543000	0	•	•	
 FILTER GS/GM 80/81 POLY KIT	62348600	1			
<b>Tube</b>					
 EXTENSION TUBE D32	11112401	2		•	•
 TELESCOPIC TUBE 1130MM D32	81906500	0	•		
<b>Bag</b>					
 DUST BAG 6.5 LITRES 5 PCS	81620000	0			

## Rugged construction for any cleaning job securing you maximum performance




- Standard equipment

Included accessories	Ref. no.	Min. required	GM 80P 220-240V AU/ NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
<b>Hose Vacuum Cleaner</b>					
 HOSE 38/32MM 2M PLAST BENT END	12041500	0			
 HOSE 38/32MM 2M RUBBER	11717000	1			
 HOSE 38/32MM 2M STEEL BENT END	12097500	1	•	•	•
 HOSE CPL	22301500	0			
<b>Round Brush Nozzle</b>					
BRUSH NOZZLE	11276902	1			
ROUND BRUSH BLACK KING	22352000	0			
<b>Upholstery Nozzle</b>					
 UPHOLSTERY NOZZLE D32 BLACK	22351900	0			
<b>Cone Nozzle</b>					
 CREVICE NOZZLE KIT	81140900	0			
<b>Crevice Nozzle</b>					
CREVICE NOZZLE BLACK	22302100	0			
<b>Combination Nozzle</b>					
 COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
 COMBO-FL. NOZZ. GREY 270MM	11980300	0			

Rugged construction for any cleaning job securing you maximum performance









Included accessories	Ref. no.	Min. required	GM 80P 220-240V AU/ NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
 NOZZLE COMBI DELUXE	22359800	0			
<b>Filter</b>					
	DIFFUSER FILTERS 2 PCS	11693700	2		
 FILTER COTTON GS/GM 80	61543000	0			
 FILTER GS/GM 80/81 POLY KIT	62348600	1			
<b>Tube</b>					
 EXTENSION TUBE D32	11112401	2	•		
 TELESCOPIC TUBE 1130MM D32	81906500	0			
<b>Bag</b>					
 DUST BAG 6.5 LITRES 5 PCS	81620000	0			

• Standard equipment




Included accessories	Ref. no.	Min. required	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
<b>Hose Vacuum Cleaner</b>					
 HOSE 38/32MM 2M PLAST BENT END	12041500	0			
 HOSE 38/32MM 2M RUBBER	11717000	1			
 HOSE 38/32MM 2M STEEL BENT END	12097500	1	•		









## Rugged construction for any cleaning job securing you maximum performance

Included accessories	Ref. no.	Min. required	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
 HOSE CPL	22301500	0			
<b>Round Brush Nozzle</b>					
BRUSH NOZZLE	11276902	1			
ROUND BRUSH BLACK KING	22352000	0			
<b>Upholstery Nozzle</b>					
 UPHOLSTERY NOZZLE D32 BLACK	22351900	0			
<b>Cone Nozzle</b>					
 CREVICE NOZZLE KIT	81140900	0			
<b>Crevice Nozzle</b>					
CREVICE NOZZLE BLACK	22302100	0			
<b>Combination Nozzle</b>					
 COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
 COMBO-FL. NOZZ. GREY 270MM	11980300	0			
 NOZZLE COMBI DELUXE	22359800	0			
<b>Filter</b>					
DIFFUSER FILTERS 2 PCS	11693700	2			
 FILTER COTTON GS/GM 80	61543000	0			
 FILTER GS/GM 80/81 POLY KIT	62348600	1			
<b>Tube</b>					

## Rugged construction for any cleaning job securing you maximum performance









Included accessories	Ref. no.	Min. required	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
 EXTENSION TUBE D32	11112401	2			
 TELESCOPIC TUBE 1130MM D32	81906500	0			
<b>Bag</b>					
 DUST BAG 6.5 LITRES 5 PCS	81620000	0			

• Standard equipment

Included accessories	Ref. no.	Min. required	GM 80P 220-240V EU
<b>Hose Vacuum Cleaner</b>			
 HOSE 38/32MM 2M PLAST BENT END	12041500	0	•
 HOSE 38/32MM 2M RUBBER	11717000	1	
 HOSE 38/32MM 2M STEEL BENT END	12097500	1	
 HOSE CPL	22301500	0	
<b>Round Brush Nozzle</b>			
BRUSH NOZZLE	11276902	1	•
ROUND BRUSH BLACK KING	22352000	0	
<b>Upholstery Nozzle</b>			
 UPHOLSTERY NOZZLE D32 BLACK	22351900	0	
<b>Cone Nozzle</b>			
 CREVICE NOZZLE KIT	81140900	0	•



## Rugged construction for any cleaning job securing you maximum performance

Included accessories		Ref. no.	Min. required	GM 80P 220-240V EU
<b>Crevice Nozzle</b>				
	CREVICE NOZZLE BLACK	22302100	0	
<b>Combination Nozzle</b>				
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0	•
	COMBO-FL. NOZZ. GREY 270MM	11980300	0	
	NOZZLE COMBI DELUXE	22359800	0	
<b>Filter</b>				
	DIFFUSER FILTERS 2 PCS	11693700	2	•
	FILTER COTTON GS/GM 80	61543000	0	
	FILTER GS/GM 80/81 POLY KIT	62348600	1	•
<b>Tube</b>				
	EXTENSION TUBE D32	11112401	2	•
	TELESCOPIC TUBE 1130MM D32	81906500	0	
<b>Bag</b>				
	DUST BAG 6.5 LITRES 5 PCS	81620000	0	•

## Rugged construction for any cleaning job securing you maximum performance

Model	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
Ref. no.	17049047	17119001	17119002

## PRODUCT FEATURES

Dust bag, 3 pcs	•	•	•
With fixed cable	•	•	•

Model	GM 80P 220-240V AU/NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
Ref. no.	17119005	17119009	17119033

## PRODUCT FEATURES

Dust bag, 3 pcs	•	•	•
With fixed cable	•	•	•

Model	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
Ref. no.	107402282	905 6301 020	905 6401 010

## PRODUCT FEATURES

Dust bag, 3 pcs	•	•	•
With fixed cable	•	•	•

Model	GM 80P 220-240V EU		
Ref. no.	107410427		

## PRODUCT FEATURES

Dust bag, 3 pcs	•
With fixed cable	•

Technical specifications	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
Energy efficiency class	na	na	na
Annual energy consumption (kWh/annum)	na	na	na
Dust pick up on carpet	na	na	na
Dust pick up on hard floor	na	na	na
Dust re-emission class	na	na	na
Sound power level dB(A) IEC/EN 60335-2-69	na	na	na
Cable length (m)/ plug type	9,3 m/Nema 1-15, 30 Feet	10/EU	10/UK
Grounded	no	no	no
Approval	UL Listed 379C	CE	CE
Voltage (V)	110-120	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60





## Rugged construction for any cleaning job securing you maximum performance

Technical specifications	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
Protection class (Electrical)	II	II	II
Ip protection class	IP20	IP20	IP20
Dust class		L	L
Rated power (W)	1100	1200	1200
Rated power/max power (W)	1100/1200	1200/1300	1200/1300
Suction power end of tube (W)	270	270	270
Airflow (l/sec)	38	38	38
Airflow without hose (l/sec)	38	38	38
Vacuum (kPa)	20	20	20
Vacuum max (kPa)	20,5	20	20
Sound pressure level at 1.5 m (dB(A) ISO 3744)	63	61	61
Sound pressure level w/nozzle (dB(A) ISO 3744)		63	63
Sound power level w/nozzle (dB(A)60704-2-1)	79		
Container capacity (l)	12.5	12.25	12.25
Dust bag capacity (l)	6,25	6,25	6,25
Main filter type	Fabric	COTTEN	COTTEN
Main filter area (cm <sup>2</sup> )	2100	2100	2100
Inlet (mm)	40	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	5	5	5

Technical specifications	GM 80P 220-240V AU/NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
Energy efficiency class	na	na	na
Annual energy consumption (kWh/annum)	na	na	na
Dust pick up on carpet	na	na	na
Dust pick up on hard floor	na	na	na
Dust re-emission class	na	na	na
Sound power level dB(A) IEC/EN 60335-2-69	na	na	na
Cable length (m)/ plug type	10/ AUS-NZ	10/EU	10/CHINA
Grounded	no	no	no
Approval	AUS	CE	CE
Voltage (V)	220-240	220-240	220-240
Frequency (Hz)	50-60	50-60	50-60
Protection class (Electrical)	II	II	II
Ip protection class	IP20	IP20	IP20
Dust class	L	L	L
Rated power (W)	1200	1200	1200



## Rugged construction for any cleaning job securing you maximum performance

Technical specifications	GM 80P 220-240V AU/NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
Rated power/max power (W)	1200/1300	1200/1300	1200/1300
Suction power end of tube (W)	270	270	270
Airflow (l/sec)	38	38	38
Airflow without hose (l/sec)	38	38	38
Vacuum (kPa)	20	20	20
Vacuum max (kPa)	20	20	20
Sound pressure level at 1.5 m (dB(A) ISO 3744)	61	61	61
Sound pressure level w/nozzle (dB(A) ISO 3744)	63	63	63
Sound power level w/nozzle (dB(A)60704-2-1)			
Container capacity (l)	12.25	12.25	12.25
Dust bag capacity (l)	6,25	6,25	6,25
Main filter type	COTTEN	COTTEN	COTTEN
Main filter area (cm <sup>2</sup> )	2100	2100	2100
Inlet (mm)	38	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	5	5	5

Technical specifications	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
Energy efficiency class	na	na	na
Annual energy consumption (kWh/annum)	na	na	na
Dust pick up on carpet	na	na	na
Dust pick up on hard floor	na	na	na
Dust re-emission class	na	na	na
Sound power level dB(A) IEC/EN 60335-2-69	na	na	na
Cable length (m)/ plug type	10/CHINA	10/US	10/US
Grounded	no	Yes	Yes
Approval	CE	UL	UL
Voltage (V)	220-240	110-120	110-120
Frequency (Hz)	50-60	60	60
Protection class (Electrical)	II	II	II
Ip protection class	IP20	IP20	IP20
Dust class	L	L	L
Rated power (W)	1200	1100	1100
Rated power/max power (W)	1200/1300	1100/1200	1100/1200
Suction power end of tube (W)	270	250	250
Airflow (l/sec)	38	38	38
Airflow without hose (l/sec)	38	38	38



## Rugged construction for any cleaning job securing you maximum performance

Technical specifications	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
Vacuum (kPa)	20	20	20
Vacuum max (kPa)	20	20	20
Sound pressure level at 1.5 m (dB(A) ISO 3744)	61	61	61
Sound pressure level w/nozzle (dB(A) ISO 3744)	63	63	63
Sound power level w/nozzle (dB(A)60704-2-1)			
Container capacity (l)	12.25	12.25	12.25
Dust bag capacity (l)	6,25	6,25	6,25
Main filter type	COTTEN	COTTEN	COTTEN
Main filter area (cm <sup>2</sup> )	2100	2100	2100
Inlet (mm)	38	38	38
Length x width x height (mm)	390x300x410	390x300x410	390x300x410
Weight (kg)	5	5	5

Technical specifications	GM 80P 220-240V EU
Energy Label	<b>D</b>
Energy efficiency class	Link
Annual energy consumption (kWh/annum)	D
Dust pick up on carpet	46
Dust pick up on hard floor	D
Dust re-emission class	E
Sound power level dB(A) IEC/EN 60335-2-69	G
Cable length (m)/ plug type	75
Grounded	10/EU
Approval	no
Voltage (V)	CE
Frequency (Hz)	220-240
Protection class (Electrical)	50-60
Ip protection class	II
Dust class	IP20
Rated power (W)	L
Rated power/max power (W)	1200
Suction power end of tube (W)	1200/1300
Airflow (l/sec)	270
Airflow without hose (l/sec)	38
Vacuum (kPa)	38
Vacuum max (kPa)	20









Rugged construction for any cleaning job securing you maximum performance

Technical specifications

GM 80P  
220-240V  
EU

Sound pressure level at 1.5 m (dB(A) ISO 3744)	61
Sound pressure level w/nozzle (dB(A) ISO 3744)	75
Sound power level w/nozzle (dB(A)60704-2-1)	
Container capacity (l)	12.25
Dust bag capacity (l)	6,25
Main filter type	POLYESTER
Main filter area (cm <sup>2</sup> )	2100
Inlet (mm)	38
Length x width x height (mm)	390x300x410
Weight (kg)	5

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories		Ref. no.	Min. required	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
<b>Round Brush Nozzle</b>						
	BRUSH NOZZLE	11276902	1	○	○	○
	BRUSH ROUND GREY 100 NATU	11276901	0	○	○	○
	NOZZLE BRUSH 38MM 100	10989000	0	○	○	○
	ROUND BRUSH BLACK KING	22352000	0	●	○	○
	ROUND BRUSH BLUE BRISTLES	22103600	0	○	○	○
<b>Tube</b>						
	EXTENSION TUBE D32	11112401	2		●	●
	TELESCOPIC TUBE 1130MM D32	81906500	0	●	○	○
<b>Nozzle</b>						
	BRUSH NOZZLE.32 400MM	11476301	0	○	○	○



## Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
	HARD FLOOR NOZZLE BLACK	22351400	1			○
	NOZZLE WITH RAILR FOR 32MM	82366900	0	○	○	○
	NOZZLE. CARPET32/280	11276800	0	○	○	○
	NOZZLE. CARPET 32 400MM	11476200	0	○	○	○
	TURBO NOZZLE BLACK	22360000	0	○	○	○
<b>Vac Nozzle Dry</b>						
	BRUSH NOZZLE32 280MM	11426700	0	○	○	○
<b>Other</b>						
	BLOWING COUPLING GS/GM80 BLACK	11562000	0	○	○	○
<b>Filter</b>						
	DIFFUSER FILTERS 2 PCS	11693700	2	○	○	○
	EXHAUST FILTER KIT WO.	11731003	0	○	○	○
	EXHAUST WITH DIFFUSER	21573001	0	○	○	○
	FILTER COTTON GS/GM 80	61543000	0	●	●	○
	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	○	○	○
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	○	○	○



## Rugged construction for any cleaning job securing you maximum performance

	Accessories	Ref. no.	Min. required	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
	FILTER GS/GM 80/81 POLY KIT	62348600	1			
	FILTER NOMEX GS 80	82243100	0	○	○	○
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	○	○	○
	GORE-TEX FILTER GS/GM80/- 81 IVT/CRX	61909800	0	○	○	○
	MICRO-STATIC FILTER	11641000	0	○	○	○
	MOTOR PROTECTION FILTER	11730410	0	○	○	○
<b>Hose Vacuum Cleaner</b>						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0	○	○	○
	HOSE 38/32MM 2M RUBBER	11717000	1	○	○	○
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	○	●	●
	HOSE CPL	22301500	0	●	○	○
	HOSE CPL. GM 80 LE	140 8484 000	1			
	PLASTIC HOSE D32	62139100	0	○	○	○
<b>Combination Nozzle</b>						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			








## Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
	COMBO-FL. NOZZ. GREY 270MM	11980300	0	○	○	○
	NOZZLE COMBI DELUXE	22359800	0	●	○	○
<b>Crevice Nozzle</b>						
	CREVICE NOZZLE	010 3098 500	0	○	○	○
	CREVICE NOZZLE BLACK	22302100	0	●	○	○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	○	○	○
	NOZZLE FLAT	81141200	0	○	○	○
<b>Upholstery Nozzle</b>						
	UPHOLSTERY NOZZLE D32 BLACK	22351900	0	●	○	○
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	○	○	○
<b>Accessory Kit</b>						
	HIGH TECH CLEANING TOOL	22388200	0	○	○	○
<b>Cone Nozzle</b>						
	CREVICE NOZZLE KIT	81140900	0	○	○	○
<b>Flexible Nozzle (IVT)</b>						
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	○	○	○

Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80 C 110-120V US BLACK	GM 80P 220-240V EU	GM 80P 220-240V UK
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	○	○	○
<b>Bag</b>						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	GM 80P 220-240V AU/ NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
<b>Round Brush Nozzle</b>						
	BRUSH NOZZLE	11276902	1	○	○	○
	BRUSH ROUND GREY 100 NATU	11276901	0	○	○	○
	NOZZLE BRUSH 38MM 100	10989000	0	○	○	○
	ROUND BRUSH BLACK KING	22352000	0	○	○	○
	ROUND BRUSH BLUE BRISTLES	22103600	0	○	○	○
<b>Tube</b>						
	EXTENSION TUBE D32	11112401	2	●	○	
	TELESCOPIC TUBE 1130MM D32	81906500	0	○	○	○
<b>Nozzle</b>						
	BRUSH NOZZLE.32 400MM	11476301	0	○	○	○
	HARD FLOOR NOZZLE BLACK	22351400	1			

























## Rugged construction for any cleaning job securing you maximum performance

Accessories	Ref. no.	Min. required	GM 80P 220-240V AU/ NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
 NOZZLE WITH RAILR FOR 32MM	82366900	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 NOZZLE. CARPET32/280	11276800	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
NOZZLE. CARPET 32 400MM	11476200	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 TURBO NOZZLE BLACK	22360000	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Vac Nozzle Dry</b>					
 BRUSH NOZZLE32 280MM	11426700	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Other</b>					
 BLOWING COUPLING GS/GM80 BLACK	11562000	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<b>Filter</b>					
DIFFUSER FILTERS 2 PCS	11693700	2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 EXHAUST FILTER KIT WO.	11731003	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 EXHAUST WITH DIFFUSER	21573001	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 FILTER COTTON GS/GM 80	61543000	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
FILTER ELEMENT HEPA GS/GM KIT	21738000	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 FILTER ELEMENT ULPA GS/GM KIT	21739000	0	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
 FILTER GS/GM 80/81 POLY KIT	62348600	1			


## Rugged construction for any cleaning job securing you maximum performance

	Accessories	Ref. no.	Min. required	GM 80P 220-240V AU/ NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
	FILTER NOMEX GS 80	82243100	0	○	○	○
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	○	○	○
	GORE-TEX FILTER GS/GM80/- 81 IVT/CRX	61909800	0	○	○	○
	MICRO-STATIC FILTER	11641000	0	○	○	○
	MOTOR PROTECTION FILTER	11730410	0	○	○	○
<b>Hose Vacuum Cleaner</b>						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0	○	○	○
	HOSE 38/32MM 2M RUBBER	11717000	1	○	○	○
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	●	●	●
	HOSE CPL	22301500	0	○	○	○
	HOSE CPL. GM 80 LE	140 8484 000	1			
	PLASTIC HOSE D32	62139100	0	○	○	○
<b>Combination Nozzle</b>						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
	COMBO-FL. NOZZ. GREY 270MM	11980300	0	○	○	○




## Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80P 220-240V AU/ NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
	NOZZLE COMBI DELUXE	22359800	0	○	○	○
<b>Crevice Nozzle</b>						
	CREVICE NOZZLE	010 3098 500	0	○	○	○
	CREVICE NOZZLE BLACK	22302100	0	○	○	○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	○	○	○
	NOZZLE FLAT	81141200	0	○	○	○
<b>Upholstery Nozzle</b>						
	UPHOLSTERY NOZZLE D32 BLACK	22351900	0	○	○	○
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	○	○	○
<b>Accessory Kit</b>						
	HIGH TECH CLEANING TOOL	22388200	0	○	○	○
<b>Cone Nozzle</b>						
	CREVICE NOZZLE KIT	81140900	0	○	○	○
<b>Flexible Nozzle (IVT)</b>						
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	○	○	○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	○	○	○




## Rugged construction for any cleaning job securing you maximum performance

Accessories	Ref. no.	Min. required	GM 80P 220-240V AU/ NZ	GM 80P 220-240V EU	GM 80P 220-240V 50-60HZ CN
<b>Bag</b>					
	DUST BAG 6.5 LITRES 5 PCS	81620000	0	0	0

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
<b>Round Brush Nozzle</b>					
	BRUSH NOZZLE	11276902	1	○	○
	BRUSH ROUND GREY 100 NATU	11276901	0	○	○
	NOZZLE BRUSH 38MM 100	10989000	0	○	○
	ROUND BRUSH BLACK KING	22352000	0	○	○
	ROUND BRUSH BLUE BRISTLES	22103600	0	○	○

<b>Tube</b>					
	EXTENSION TUBE D32	11112401	2		
	TELESCOPIC TUBE 1130MM D32	81906500	0	○	○











<b>Nozzle</b>					
	BRUSH NOZZLE.32 400MM	11476301	0	○	○
	HARD FLOOR NOZZLE BLACK	22351400	1		
	NOZZLE WITH RAILR FOR 32MM	82366900	0	○	○



## Rugged construction for any cleaning job securing you maximum performance











Accessories		Ref. no.	Min. required	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
	NOZZLE. CARPET32/280	11276800	0	○		○
	NOZZLE. CARPET 32 400MM	11476200	0	○		○
	TURBO NOZZLE BLACK	22360000	0	○		○
<b>Vac Nozzle Dry</b>						
	BRUSH NOZZLE32 280MM	11426700	0	○		○
<b>Other</b>						
	BLOWING COUPLING GS/GM80 BLACK	11562000	0	○		○
<b>Filter</b>						
	DIFFUSER FILTERS 2 PCS	11693700	2	○	○	○
	EXHAUST FILTER KIT WO.	11731003	0	○		○
	EXHAUST WITH DIFFUSER	21573001	0	○		○
	FILTER COTTON GS/GM 80	61543000	0	○		○
	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	○		○
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	○		○
	FILTER GS/GM 80/81 POLY KIT	62348600	1			
	FILTER NOMEX GS 80	82243100	0	○		○

Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	○		○
	GORE-TEX FILTER GS/GM80/- 81 IVT/CRX	61909800	0	○		○
	MICRO-STATIC FILTER	11641000	0	○		○
	MOTOR PROTECTION FILTER	11730410	0	○		○
<b>Hose Vacuum Cleaner</b>						
	HOSE 38/32MM 2M PLAST BENT END	12041500	0	○		○
	HOSE 38/32MM 2M RUBBER	11717000	1	○		○
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	●		○
	HOSE CPL	22301500	0	○		○
	HOSE CPL. GM 80 LE	140 8484 000	1	○		
	PLASTIC HOSE D32	62139100	0	○		○
<b>Combination Nozzle</b>						
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0			
	COMBO-FL. NOZZ. GREY 270MM	11980300	0	○		○
	NOZZLE COMBI DELUXE	22359800	0	○		○
<b>Crevice Nozzle</b>						













## Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80 C 100V JP GREY	GM 80 110-120V US HEPA	GM 80P 110-120V US
	CREVICE NOZZLE	010 3098 500	0	○		○
	CREVICE NOZZLE BLACK	22302100	0	○		○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	○		○
	NOZZLE FLAT	81141200	0	○		○
<b>Upholstery Nozzle</b>						
	UPHOLSTERY NOZZLE D32 BLACK	22351900	0	○		○
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	○		○
<b>Accessory Kit</b>						
	HIGH TECH CLEANING TOOL	22388200	0	○		○
<b>Cone Nozzle</b>						
	CREVICE NOZZLE KIT	81140900	0	○		○
<b>Flexible Nozzle (IVT)</b>						
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	○		○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	○		○
<b>Bag</b>						
	DUST BAG 6.5 LITRES 5 PCS	81620000	0	○		○











## Rugged construction for any cleaning job securing you maximum performance

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories		Ref. no.	Min. required	GM 80P 220-240V EU
<b>Round Brush Nozzle</b>				
	BRUSH NOZZLE	11276902	1	●
	BRUSH ROUND GREY 100 NATU	11276901	0	○
	NOZZLE BRUSH 38MM 100	10989000	0	○
	ROUND BRUSH BLACK KING	22352000	0	○
	ROUND BRUSH BLUE BRISTLES	22103600	0	○
<b>Tube</b>				
	EXTENSION TUBE D32	11112401	2	●
	TELESCOPIC TUBE 1130MM D32	81906500	0	○
<b>Nozzle</b>				
	BRUSH NOZZLE.32 400MM	11476301	0	○
	HARD FLOOR NOZZLE BLACK	22351400	1	
	NOZZLE WITH RAILR FOR 32MM	82366900	0	○
	NOZZLE. CARPET32/280	11276800	0	○
	NOZZLE. CARPET 32 400MM	11476200	0	○
	TURBO NOZZLE BLACK	22360000	0	○











## Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU
<b>Vac Nozzle Dry</b>				
	BRUSH NOZZLE32 280MM	11426700	0	○
<b>Other</b>				
	BLOWING COUPLING GS/GM80 BLACK	11562000	0	○
<b>Filter</b>				
	DIFFUSER FILTERS 2 PCS	11693700	2	●
	EXHAUST FILTER KIT WO.	11731003	0	○
	EXHAUST WITH DIFFUSER	21573001	0	○
	FILTER COTTON GS/GM 80	61543000	0	○
	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	○
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	○
	FILTER GS/GM 80/81 POLY KIT	62348600	1	●
	FILTER NOMEX GS 80	82243100	0	○
	GORE TEX -NO-STAT. FILT.80/81	62048000	0	○
	GORE-TEX FILTER GS/GM80/- 81 IVT/CRX	61909800	0	○
	MICRO-STATIC FILTER	11641000	0	○
	MOTOR PROTECTION FILTER	11730410	0	○

## Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU
<b>Hose Vacuum Cleaner</b>				
	HOSE 38/32MM 2M PLAST BENT END	12041500	0	•
	HOSE 38/32MM 2M RUBBER	11717000	1	○
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	○
	HOSE CPL	22301500	0	○
	HOSE CPL. GM 80 LE	140 8484 000	1	
	PLASTIC HOSE D32	62139100	0	○
<b>Combination Nozzle</b>				
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0	•
	COMBO-FL. NOZZ. GREY 270MM	11980300	0	○
	NOZZLE COMBI DELUXE	22359800	0	○
<b>Crevice Nozzle</b>				
	CREVICE NOZZLE	010 3098 500	0	○
	CREVICE NOZZLE BLACK	22302100	0	○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	○

## Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM 80P 220-240V EU
	NOZZLE FLAT	81141200	0	○
<b>Upholstery Nozzle</b>				
	UPHOLSTERY NOZZLE D32 BLACK	22351900	0	○
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	○
<b>Accessory Kit</b>				
	HIGH TECH CLEANING TOOL	22388200	0	○
<b>Cone Nozzle</b>				
	CREVICE NOZZLE KIT	81140900	0	●
<b>Flexible Nozzle (IVT)</b>				
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	○
<b>Bag</b>				
	DUST BAG 6.5 LITRES 5 PCS	81620000	0	●