

Health and safety as standard in a 2,2 kW industrial vacuum

Silent and light but offering excellent performances, model T22Plus is available in many different configurations: with M class filter or cartridge filter, with HEPA or ULPA absolute filter for the collection of very fine or hazardous dust, with 50 or 100 liters container, with solid cut-off system. The ATEX versions for Z21 and 2 are equipped with a stainless steel container and antistatic star filter. Mod. T22Plus is easy to use and is very ergonomic to meet the different requirements of the industries: cable holder, accessory box and vacuumeter (to check the filtering efficiency)

- manual or electric filter shaker version
- pulse jet cartridge filter cleaning version
- vacuumeter
- L or H class versions
- ATEX versions for Zone 21 and Zone 2
- plug with inverter
- solid cut-off system
- extractible container with castors and wheels
- Accessory box, cable holder and support for the hoses



Picture shown may not represent model quoted

TPlus range is TuV certified: these models can hold efficiently every kind of dust, even the finest. The ATEX certification grants the highest technological standard against the explosion risk in the working environment.

- Standard equipment
- Standard equipment

Model	T22PLUS L100 LC Z21	T22PLUS L100 LC Z21 5PP	T22PLUS L50 HC Z21
Ref. no.	4030800394	4030800395	4030800398

PRODUCT FEATURES

Manual filter shaker	•	•	•
H-class hazardous dust approval			•
Stainless steel dust container	•	•	•
Switch motor protector	•	•	•
Vacuum Meter	•	•	•
HEPA upstream filtration			•
100 l. bin	•	•	
L class filter	•	•	
M class filter			•
50 l. bin			•
L-class hazardous dust approval	•	•	
5 pin plug		•	



Health and safety as standard in a 2,2 kW industrial vacuum

Model	T22PLUS L100 LC Z2
Ref. no.	4030800400

PRODUCT FEATURES

Manual filter shaker	•
H-class hazardous dust approval	
Stainless steel dust container	•
Switch motor protector	•
Vacuum Meter	•
HEPA upstream filtration	
100 l. bin	•
L class filter	•
M class filter	
50 l. bin	
L-class hazardous dust approval	•
5 pin plug	

Technical specifications	T22PLUS L100 LC Z21	T22PLUS L100 LC Z21 5PP	T22PLUS L50 HC Z21
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Ip protection class	65	65	65
Insulation class	F	F	F
Rated power (kW)	2,2	2,2	2,2
Airflow without Hose (m ³ /h – l/m)	315 - 5250	315 - 5250	315 - 5250
Vacuum (mbar/kPa)	300 - 30	300 - 30	300 - 30
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	67	67	67
Container capacity (l)	100	100	50
Main filter area (cm ²)	19.500	19.500	19.500
Inlet (mm)	70	70	70
Length x width x height (cm)	1290 x 600 x 1540	1290 x 600 x 1540	1290 x 600 x 1260
Weight (kg)	138	138	138

Technical specifications	T22PLUS L100 LC Z2
Voltage (V)	400
Frequency (Hz)	50
Ip protection class	55
Insulation class	F
Rated power (kW)	2,2
Airflow without Hose (m ³ /h – l/m)	315 - 5250











Health and safety as standard in a 2,2 kW industrial vacuum

Technical specifications

T22PLUS L100 LC
Z2

Vacuum (mbar/kPa)	300 - 30
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	67
Container capacity (l)	100
Main filter area (cm ²)	19.500
Inlet (mm)	70
Length x width x height (cm)	1290 x 600 x 1540
Weight (kg)	138

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z21	T22PLUS L100 LC Z21 5PP	T22PLUS L50 HC Z21
Filter						
	KIT ANTISTATIC STAR FILTER D460	40000425	0	○	○	○
Hose Vacuum Cleaner						
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	0	○	○	○
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	0	○	○	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	0	○	○	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	0	○	○	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	0	○	○	○
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	0	○	○	○
	CONDUCTIVE FLEX HOSE D38MT3+ SLEEVES38/40	4072200509	0	○	○	○
	CONDUCTIVE FLEX HOSE D38MT5+ SLEEVES38/40	4072200510	0	○	○	○



Health and safety as standard in a 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z21	T22PLUS L100 LC Z21 5PP	T22PLUS L50 HC Z21
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	0	○	○	○
Other						
	DOWNSTREAM ULPA FILTER KIT	4089100100	0	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	0	○	○	○
Accessory Kit						
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	0	○	○	○
Vacuum Hose and Connection						
	BENT CONNECTION D40 FE	Z7 21013	0	○	○	○
	BENT CONNECTION D40 INOX	Z7 21033	0	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	0	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	0	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	0	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	0	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	0	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	0	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	0	○	○	○







Health and safety as standard in a 2,2 kW industrial vacuum

	Accessories	Ref. no.	Min. required	T22PLUS L100 LC Z21	T22PLUS L100 LC Z21 5PP	T22PLUS L50 HC Z21
	CONNECTION JOINT D50 INOX	Z7 22241	0	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	0	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	0	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	0	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	0	○	○	○
	REDUCER D70/40 FE	Z7 22002	0	○	○	○
	REDUCER D70/40 INOX	Z7 22224	0	○	○	○
	REDUCER D70/50 INOX	Z7 22225	0	○	○	○
	REDUCER IRON D70/50	Z7 22001	0	○	○	○
	TIE D40-60	Z8 40040	0	○	○	○
Crevice Nozzle						
	FLAT LANCE D40 ZINC PLT.	Z7 21027	0	○	○	○




Health and safety as standard in a 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z21	T22PLUS L100 LC Z21 5PP	T22PLUS L50 HC Z21
	FLAT LANCE D50 ZINC PLT.	Z7 21026	0	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	0	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	0	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	0	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	0	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	0	○	○	○
Extension Tube						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	0	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	0	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	0	○	○	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	0	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	0	○	○	○











Health and safety as standard in a 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z21	T22PLUS L100 LC Z21 5PP	T22PLUS L50 HC Z21
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	0	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	0	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	0	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	0	○	○	○
Vac Nozzle Wet						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	0	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	0	○	○	○
Nozzle						
	PACK OF 10 RUBBERS 400 20086	Z8 20295	0	○	○	○













● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z2
Filter				
	KIT ANTISTATIC STAR FILTER D460	40000425	0	○
Hose Vacuum Cleaner				
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	0	○
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	0	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	0	○












Health and safety as standard in a 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z2
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	0	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	0	○
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	0	○
	CONDUCTIVE FLEX HOSE D38MT3+SLEEVES38/40	4072200509	0	○
	CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	0	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	0	○
Other				
	DOWNSTREAM ULPA FILTER KIT	4089100100	0	○
	HARMONIC SPRINGPIN LINK	Z7 20328	0	○
Accessory Kit				
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	0	○
Vacuum Hose and Connection				
	BENT CONNECTION D40 FE	Z7 21013	0	○
	BENT CONNECTION D40 INOX	Z7 21033	0	○
	BENT CONNECTION D50 FE	Z7 21012	0	○











Health and safety as standard in a 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z2
	BENT CONNECTION D50 INOX	Z7 21034	0	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	0	○
	BENT CONNECTION D70 FE	Z7 21032	0	○
	CONNECTION JOINT D40 FE	Z7 21004	0	○
	CONNECTION JOINT D40 INOX	Z7 22240	0	○
	CONNECTION JOINT D50 FE	Z7 21002	0	○
	CONNECTION JOINT D50 INOX	Z7 22241	0	○
	CONNECTION JOINT D70 FE	Z7 21000	0	○
	CONNECTION JOINT D70 INOX	Z7 22242	0	○
	CONNECTION TUBE D70 INOX	Z7 22231	0	○
	CONNECTION TUBE D70 STEEL	Z7 21001	0	○
	REDUCER D70/40 FE	Z7 22002	0	○
	REDUCER D70/40 INOX	Z7 22224	0	○

Health and safety as standard in a 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z2
	REDUCER D70/50 INOX	Z7 22225	0	○
	REDUCER IRON D70/50	Z7 22001	0	○
	TIE D40-60	Z8 40040	0	○
Crevice Nozzle				
	FLAT LANCE D40 ZINC PLT.	Z7 21027	0	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	0	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	0	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	0	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	0	○
	SCRAPING SUCKER D40 INOX	Z7 22277	0	○
	SCRAPING SUCKER D50 INOX	Z7 22278	0	○
Extension Tube				
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	0	○

Health and safety as standard in a 2,2 kW industrial vacuum

Accessories		Ref. no.	Min. required	T22PLUS L100 LC Z2
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	0	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	0	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	0	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	0	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	0	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	0	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	0	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	0	○
Vac Nozzle Wet				
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	0	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	0	○
Nozzle				
	PACK OF 10 RUBBERS 400 20086	Z8 20295	0	○