

## Health and safety as standard with high vacuum in 4 kW

The great suction power of model T40Plus is given by the vacuum it creates: it can collect very heavy materials or wet dust, it is ideal to solve any waste problem that were unsolvable till today. Several versions are available: with M class or with HEPA or ULPA filters for the collection of very fine or hazardous dust, with cartridges filter, with 50 or 100 l container, with solid cut-off system and so on. The ATEX versions are certified for zone 22-21 and 2 in compliance with the 94/9/EC and the 99/92/EC directives.

- L, M, H certified for operators' safety
- ATEX certified for explosion proof environments
- top filtering efficiency
- powerful
- silent
- modular

4,3 kw suction power. It is M and H certified for hazardous dust and ATEX certified for explosion-proof environments. Version T40Plus HE is equipped with an high efficiency motor for low consumption: top power, low consumption

- Standard equipment
- Standard equipment



Picture shown may not represent model quoted

Model	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
Ref. no.	4030800454	4030800455	4030800456

### PRODUCT FEATURES

Manual filter shaker	•	•	•
Stainless steel container	•	•	•
H-class hazardous dust approval			
Switch motor protector	•	•	•
Vacuum Meter	•	•	•
HEPA upstream filtration			
100 l. bin	•	•	•
50 l. bin			
L-class hazardous dust approval	•	•	•
5 pin plug		•	
L class AntiStatic filter	•	•	•
M class AntiStatic filter			
Purge jet system			
Kit clapet	•	•	•



## Health and safety as standard with high vacuum in 4 kW

Model	T40PLUS L100 LC Z21 5PP
Ref. no.	4030800457

## PRODUCT FEATURES

Manual filter shaker	•
Stainless steel container	•
H-class hazardous dust approval	
Switch motor protector	•
Vacuum Meter	•
HEPA upstream filtration	
100 l. bin	•
50 l. bin	
L-class hazardous dust approval	•
5 pin plug	•
L class AntiStatic filter	•
M class AntiStatic filter	
Purge jet system	
Kit clapet	•

Technical specifications	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
Protection class (Electrical)	I	I	I
Ip protection class	55	55	65
Rated power (kW)	4,3	4,3	4,3
Airflow with Hose (m <sup>3</sup> /h – l/min)	270 - 4500	270 - 4500	270 - 4500
Airflow without Hose (m <sup>3</sup> /h – l/m)	315 - 5250	315 - 5250	315 - 5250
Vacuum (kPa)	36	36	36
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71	71	71
Container capacity (l)	100	100	100
Main filter area (cm <sup>2</sup> )	19.500	19.500	19.500
Inlet (mm)	70	70	70
Length x width x height (mm)	1290x600x1540	1290x600x1540	1290x600x1540
Weight (kg)	162	162	162








## Health and safety as standard with high vacuum in 4 kW

## Technical specifications

T40PLUS L100 LC  
Z21 5PP

Voltage (V)	400
Frequency (Hz)	50
Protection class (Electrical)	I
Ip protection class	65
Rated power (kW)	4,3
Airflow with Hose (m <sup>3</sup> /h – l/min)	270 - 4500
Airflow without Hose (m <sup>3</sup> /h – l/m)	315 - 5250
Vacuum (kPa)	36
Sound pressure level at 1.5 m (dB(A) IEC 60704-2)	71
Container capacity (l)	100
Main filter area (cm <sup>2</sup> )	19.500
Inlet (mm)	70
Length x width x height (mm)	1290x600x1540
Weight (kg)	162

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment













Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
<b>Filter</b>					
KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
<b>Hose Vacuum Cleaner</b>					
 ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○	○	○
 ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○	○	○
 ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○	○	○
 ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○	○	○
 ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○	○	○














## Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT3+ SLEEVES38/40	4072200509	1	○	○	○
	CONDUCTIVE FLEX HOSE D38MT5+ SLEEVES38/40	4072200510	1	○	○	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○	○	○
<b>Other</b>						
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
<b>Accessory Kit</b>						
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○	○	○
<b>Vacuum Hose and Connection</b>						
	BENT CONNECTION D40 FE	Z7 21013	1	○	○	○
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D50 FE	Z7 21012	1	○	○	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○	○	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○	○	○
	BENT CONNECTION D70 FE	Z7 21032	1	○	○	○









## Health and safety as standard with high vacuum in 4 kW

	Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○	○	○
	REDUCER D70/40 FE	Z7 22002	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER IRON D70/50	Z7 22001	1	○	○	○

## Health and safety as standard with high vacuum in 4 kW

	Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	TIE D40-60	Z8 40040	1	○	○	○
<b>Crevice Nozzle</b>						
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○	○	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○	○	○
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
<b>Extension Tube</b>						
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○	○	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○	○	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○	○	○

## Health and safety as standard with high vacuum in 4 kW











Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z22	T40PLUS L100 LC Z22 5PP	T40PLUS L100 LC Z21
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○	○	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○	○	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○	○	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○	○	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○	○	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○	○	○
<b>Vac Nozzle Wet</b>						
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○	○	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○	○	○
<b>Nozzle</b>						
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
<b>Filter</b>				
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○
<b>Hose Vacuum Cleaner</b>				
	ANT.POL BLACK HOSE D40 MT3+SLEEVES	Z7 22368	1	○














## Health and safety as standard with high vacuum in 4 kW












Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	ANT.POL BLACK HOSE D40 MT5+SLEEVES	Z7 22371	1	○
	ANT.POL BLACK HOSE D50 MT3+SLEEVES	Z7 22369	1	○
	ANT.POL BLACK HOSE D50 MT5+SLEEVES	Z7 22372	1	○
	ANT.POL BLACK HOSE D70 MT3+SLEEVES	Z7 22370	1	○
	ANT.POL BLACK HOSE D70 MT5+SLEEVES	Z7 22373	1	○
	CONDUCTIVE FLEX HOSE D38MT3+SLEEVES38/40	4072200509	1	○
	CONDUCTIVE FLEX HOSE D38MT5+SLEEVES38/40	4072200510	1	○
	FLEX CONDUCTIVE HOSE D50 MT3+ SLEEVES	Z7 22375	1	○
<b>Other</b>				
	DOWNSTREAM ULPA FILTER KIT	4089100100	1	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○
<b>Accessory Kit</b>				
	KIT INLET FOR PAPER BAG D70 SS WITH	Z5 60375	1	○
<b>Vacuum Hose and Connection</b>				
	BENT CONNECTION D40 FE	Z7 21013	1	○














## Health and safety as standard with high vacuum in 4 kW

	Accessories	Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	BENT CONNECTION D40 INOX	Z7 21033	1	○
	BENT CONNECTION D50 FE	Z7 21012	1	○
	BENT CONNECTION D50 INOX	Z7 21034	1	○
	BENT CONNECTION D50/40 Z.PLT.	Z7 22015	1	○
	BENT CONNECTION D70 FE	Z7 21032	1	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○
	CONNECTION JOINT D50 FE	Z7 21002	1	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○
	CONNECTION JOINT D70 FE	Z7 21000	1	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○



Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	CONNECTION TUBE D70 STEEL	Z7 21001	1	○
	REDUCER D70/40 FE	Z7 22002	1	○
	REDUCER D70/40 INOX	Z7 22224	1	○
	REDUCER D70/50 INOX	Z7 22225	1	○
	REDUCER IRON D70/50	Z7 22001	1	○
	TIE D40-60	Z8 40040	1	○
<b>Crevice Nozzle</b>				
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○
	FLAT LANCE D50 ZINC PLT.	Z7 21026	1	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○
	FLAT LANCE D70 ZINC PLT.	Z7 21028	1	○
	FLAT LANCE FITTING D.50 FE	Z7 21075	1	○

## Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	SCRAPING SUCKER D40 INOX	Z7 22277	1	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○
<b>Extension Tube</b>				
	ALUMINIUM EXTENSION D50 MT1 INLET PIN	Z7 22385	1	○
	EXTENSION D40 MT.1 ALUMINIUM COMPLETE	Z7 22008	1	○
	EXTENSION D40 MT.2 ALUMINIUM COMPLETE	Z7 22007	1	○
	EXTENSION D40 MT.3 ALUMINIUM COMPLETE	Z7 22006	1	○
	EXTENSION D50 MT.1 ALUMINIUM COMPLETE	Z7 22005	1	○
	EXTENSION D50 MT.2 ALUMINIUM COMPLETE	Z7 22004	1	○
	EXTENSION D50 MT.3 ALUMINIUM COMPLETE	Z7 22003	1	○
	HANDGRIP D40 CHROME PLT. COMPLETE	Z7 22121	1	○
	HANDGRIP D50 CHROME PLT. COMPLETE	Z7 22122	1	○
<b>Vac Nozzle Wet</b>				

Health and safety as standard with high vacuum in 4 kW

Accessories		Ref. no.	Min. required	T40PLUS L100 LC Z21 5PP
	LIQ.SUCKER D50 MM400 INOX COMPLETE	Z7 22294	1	○
	LIQUIDS SUCKER D40 MM400 INOX COMPLETE	Z7 22296	1	○
<b>Nozzle</b>				
	PACK OF 10 RUBBERS 400 20086	Z8 20295	1	○